



Powersports & Racing



FREE SHIPPING ON ORDERS OF \$100 OR MORE

TO ORDER: 1-800-956-5695 MONDAY – FRIDAY 7 A.M. – 7 P.M. CT | AMSOIL.com

Free Shipping on orders of \$100 or more in the contiguous U.S.*

BECOME AN AMSOIL PREFERRED CUSTOMER FOR EVEN MORE GREAT BENEFITS:



Reduced Pricing
Save up to 25 percent on every order.



Free Shipping



Special Offers
Preferred Customers receive exclusive promotions.



Free Swag
Randomly receive free swag when you place an order.



P.C. Points
Earn points on all purchases. Every 50 points earned is redeemable for \$1 off a future order.



Referral Rewards
Refer friends and family members to the AMSOIL P.C. Program and receive 500 bonus points when the referred customer makes a qualifying purchase.

Sign up at [AMSOIL.com/pc](https://www.amsoil.com/pc) today and use this referral number. ▼

Referral # **323230**

*Orders below that threshold pay a flat shipping rate of \$8.99. Exclusions apply. See the shipping & handling policy at [AMSOIL.com/storefront/shippinginformation.aspx](https://www.amsoil.com/storefront/shippinginformation.aspx)



All AMSOIL lubricants and filters are covered by the AMSOIL Limited Warranty. For details visit [AMSOIL.com/warranty.aspx](https://www.amsoil.com/warranty.aspx).

Photo courtesy of ATV Illustrated



Product Index

Motorcycle oil	7
ATV/UTV lubricants	15
Dirt bike lubricants	19
Marine lubricants	23
Snowmobile oil	29
Racing oil	33
Briggs & Stratton® Synthetic 4T Racing Oil	34
Gear lube	35
Grease	37
Break-in oil and assembly lube	39
Suspension fluid	39
Racing transmission fluid	39
Formula 4-Stroke® Synthetic Scooter Oil	39
Ea® Racing Air Filters	41
Motorcycle Oil Filters	41
Fuel additives	43
Spray lubricants and protectants	44
Antifreeze & coolant	46
Brake fluid	46
Multi-Vehicle Synthetic Power Steering Fluid	47

**All trademarked names and images are the property of their respective owners and may be registered marks in some countries. No affiliation or endorsement claim, express or implied, is made by their use.*

V-Twin Torture Test

- 2019 Harley-Davidson* Street Bob*
- Milwaukee-Eight* 107 c.i. engine
- 1,000 miles on engine dyno
- 300°F (149°C) oil temperature
- 421°F (216°C) max. cylinder temperature



The rings are virtually deposit-free and didn't stick for **maximum compression and power**. The skirt contains minimal scuffing for **long engine life**.



V-Twin Motorcycle

AMSOIL V-twin products are engineered to address the specific demands of V-twin motorcycles. Advanced synthetic technology protects your bike and the spirit of the American biker.


- **Resists** extreme heat, even in slow-moving parade or rally traffic on hot summer days
- **Retains** viscosity to deliver excellent wear protection
- **Delivers** the convenience of one lubricant for all three sumps





AMSOIL Resists Viscosity Breakdown

AMSOIL resists viscosity breakdown **6X better** than Harley-Davidson* SYN3* for improved protection against compensator and transmission gear wear.^{BB}



^{BB}Based on testing of AMSOIL 20W-50 Synthetic V-Twin Motorcycle Oil and Harley-Davidson Screamin' Eagle SYN3 purchased on 9/19/19 in the CEC L45-KRL, ASTM D445 test. All trademarked names and images are the property of their respective owners and may be registered marks in some countries. No affiliation or endorsement claim, express or implied, is made by their use.

MCV



MCS



MSV



MVI



MVT



MVP



Synthetic V-Twin Motorcycle Oil

● 20W-50

Superior synthetic formulation provides long service life and maximum protection against engine wear in Harley-Davidson,* Buell* and other motorcycle engines, primaries and transmissions.

STOCK #	UNITS	PKG./SIZE	P.C. PRICE	FULL COST
MCVQT	-EA	1 Quart	10.99	14.59
MCVQT	-CA	12 Quarts	125.10	172.00
MCV1G	-EA	1 Gallon	43.19	56.89
MCV1G	-CA	4 Gallons	164.30	225.70

● SAE 60

Superior synthetic formulation provides long service life and maximum protection against engine wear in big-bore, air-cooled motorcycle engines, including Harley-Davidson Panhead,* Shovelhead* and Knucklehead.*

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL COST
MCSQT	-EA	1 Quart	12.19	15.99
MCSQT	-CA	12 Quarts	138.75	189.60

● 15W-60

Superior synthetic formulation provides long service life and maximum protection against engine wear in Indian* and Victory* motorcycles.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL COST
MSVQT	-EA	1 Quart	11.99	16.29
MSVQT	-CA	12 Quarts	136.65	193.35

● 20W-40

Superior synthetic formulation provides long service life and maximum protection against engine wear in Indian and Victory motorcycles.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL COST
MVIQT	-EA	1 Quart	10.89	14.49
MVIQT	-CA	12 Quarts	124.45	171.35

● Synthetic V-Twin Transmission Fluid

Helps quiet V-twin transmission noise and enable smooth shifts.

STOCK #	UNITS	PKG./SIZE	P.C. PRICE	FULL COST
MVTQT	-EA	1 Quart	12.19	16.49
MVTQT	-CA	12 Quarts	138.50	195.95

● Synthetic V-Twin Primary Fluid

Delivers consistent clutch feel and helps riders easily find neutral.

STOCK #	UNITS	PKG./SIZE	P.C. PRICE	FULL COST
MVPQT	-EA	1 Quart	10.89	14.89
MVPQT	-CA	12 Quarts	123.55	176.00

V-Twin Oil Change Kits

Contains everything needed to perform an oil change on most Harley-Davidson motorcycles, including 20W-50 Synthetic V-Twin Motorcycle Oil, AMSOIL Motorcycle Oil Filter and O-ring.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL COST
HDCK	-EA	1 Kit	57.45	78.15
HDBK	-EA	1 Kit	54.40	74.20
HDMC	-EA	1 Kit	67.70	92.20
HDMB	-EA	1 Kit	64.90	88.65

FITMENT INFO:

HDCK, HDBK: most 1999-2016 Harley-Davidson motorcycles (HDCK includes chrome filter; HDBK includes black filter)

HDMC, HDMB: most 2017-present Harley-Davidson motorcycles (HDMC includes chrome filter; HDMB includes black filter)

HDCK







Metric Motorcycle

AMSOIL Synthetic Metric Motorcycle Oil is specifically engineered to meet the unique demands of metric bikes. Advanced synthetic technology protects your bike and your pursuit of freedom.

- **Fights** wear to maintain engine power
- **Delivers** smooth, confident shifts, helping you accelerate faster and ride more effectively
- **Cool**, clean performance
- **Helps** reduce maintenance
- **Extends** oil-change intervals for a safe, reliable trip of a lifetime





Synthetic Metric Motorcycle Oil

● 10W-40

Superior synthetic formulation provides long service life, smooth shifts and maximum protection against engine wear in Can-Am,* Honda,* Yamaha,* Kawasaki,* Triumph,* Suzuki,* BMW* and other motorcycle engines.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL COST
MCFQT	-EA	1 Quart	10.99	14.49
MCFQT	-CA	12 Quarts	124.65	171.40
MCF1G	-EA	1 Gallon	42.99	56.59
MCF1G	-CA	4 Gallons	163.65	224.80

● 10W-30

Superior synthetic formulation provides long service life, smooth shifts and maximum protection against engine wear in Honda, Yamaha, Suzuki and Kawasaki motorcycles.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL COST
MCTQT	-EA	1 Quart	10.89	14.39
MCTQT	-CA	12 Quarts	123.80	170.30

● 15W-50

Superior synthetic formulation provides long service life, smooth shifts and maximum protection against engine wear in Ducati,* BMW, KTM,* Yamaha, Triumph and Royal Enfield* motorcycles.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL COST
MFFQT	-EA	1 Quart	12.09	16.39
MFFQT	-CA	12 Quarts	137.45	194.40

“My 2011 GSXR* showed calculated increased performance on the dyno and clean crisp shifting.”

– Kevin
Canada





ATV/UTV

AMSOIL synthetic lubricants deliver upgraded performance and protection for hard-riden, hard-working ATVs and UTVs. Upgrading to AMSOIL performance lets you safely and confidently push your machine to the limit.

- **Outstanding** severe-service wear protection
- **Performs** in extreme heat and cold
- **Confidence** in clutch feel





EASY AS 1-2-3

The easy-pack provides the solution to tricky lubricant installations. The durable, all-in-one package makes installation as easy as opening the package, inserting the nozzle into the fill hole and squeezing.





“Makes our Arctic Cat* four-wheeler run smooth, quiet and cool, just like all AMSOIL products. This is the only oil we will put in our ATV.”

– **Brbstafford**
LaFollette, Tenn.

AUV40



AUV50



AUDT



AUPT



AFF



Synthetic ATV/UTV Motor Oil

Formulated to provide upgraded performance and protection for hard-working and performance ATVs and UTVs.

● 10W-40

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL COST
AUV40QT	-EA	1 Quart	10.49	14.89
AUV40QT	-CA	12 Quarts	119.40	176.05

● 5W-50

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL COST
AUV50QT	-EA	1 Quart	10.69	15.19
AUV50QT	-CA	12 Quarts	121.80	179.20

● Synthetic ATV/UTV Transmission and Differential Fluid

Protects heavily loaded, high-torque ATV and UTV gears and bearings against wear in the most severe operating conditions.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL COST
AUDTQT	-EA	1 Quart	11.89	16.19
AUDTQT	-CA	12 Quarts	135.75	192.25
AUDTPK	-EA	1 Quart Easy-Pack	13.59	18.39
AUDTPK	-CA	12 Quart Easy-Packs	155.10	218.00

● Synthetic ATV/UTV Powertrain Fluid¹³

Purpose-built for transmission/differentials and front drives in Polaris* ATVs and UTVs, offering the perfect combination of protection and convenience.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL COST
AUPTK	-EA	1 Quart Easy-Pack	11.99	16.19
AUPTK	-CA	12 Quart Easy-Packs	136.35	192.75

● Formula 4-Stroke® Powersports Synthetic Motor Oil

Specially formulated for four-stroke recreational motors, ATVs and snowmobiles.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL COST
AFFQT	-EA	1 Quart	10.99	14.49
AFFQT	-CA	12 Quarts	124.80	171.45

Kits for Polaris* Vehicles

Contains everything needed to perform an oil change on most Polaris* UTVs and ATVs using AMSOIL Synthetic ATV/UTV Motor Oil.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL COST
PK1	-EA	1 Kit	32.00	43.65
PK2	-EA	1 Kit	28.00	38.10
PK3	-EA	1 Kit	26.45	36.10


Kits for Can-Am* Vehicles

Contains everything needed to perform an oil change on most Can-Am UTVs and ATVs using AMSOIL Formula 4-Stroke® Powersports Synthetic Motor Oil.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL COST
CK1	-EA	1 Kit	52.10	70.80
CK2	-EA	1 Kit	40.40	54.45
CK3	-EA	1 Kit	50.55	68.35


Visit AMSOIL.com, call (715) 399-TECH (Monday-Friday, 8 a.m. - 5 p.m. Central Time) or contact the AMSOIL Dealer listed on the back of your catalog (if one is listed) to determine the appropriate kit for your application.

¹³See page 47 for Proposition 65 information for this product.



AMSOIL delivers confident clutch feel.

AMSOIL provides excellent clutch protection.[†] How good is it? In extreme simulated-start testing, AMSOIL provided superior wear protection and kept clutch plates looking new.



[†]Based on dyno testing of a Honda CRF450 dirt bike using AMSOIL 10W-40 Synthetic Dirt Bike Oil and a leading original equipment manufacturer 10W-40 conventional dirt bike oil.



Dirt Bike

It takes confidence to grab the holeshot during a race or get out in front of the pack on the trail – confidence that your bike will respond the way you want and confidence that you can push it to the limit without fear of breakdowns. AMSOIL synthetic lubricants are durable and reliable. They are designed to maximize the performance of both bike and rider.

- **Delivers** confidence in clutch feel
- **Superior** protection against gear wear
- **Outstanding** shear stability for long-lasting performance







Synthetic Dirt Bike Oil

Delivers confidence in clutch feel, maximum horsepower and superior wear protection in all types of four-stroke dirt bikes.

● 10W-40

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL COST
DB40QT	-EA	1 Quart	10.79	15.29
DB40QT	-CA	12 Quarts	122.90	180.85

● 10W-50

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL COST
DB50QT	-EA	1 Quart	11.59	16.29
DB50QT	-CA	12 Quarts	131.85	193.25

● 10W-60

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL COST
DB60QT	-EA	1 Quart	11.89	16.69
DB60QT	-CA	12 Quarts	135.15	197.80

○ Synthetic Dirt Bike Transmission Fluid

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL COST
DBTFQT	-EA	1 Quart	9.39	13.39
DBTFQT	-CA	12 Quarts	106.80	158.65

“The KLR 650 came alive after I put this in it. Seems like tons more torque and smoother engine performance. The KTM* is already a beast, and this made it into a demon on steroids.”

– **Rustdoc**
Wichita Falls, Texas

Marine

AMSOIL synthetic lubricants are formulated to control harmful deposits and wear in outboards, inboards and personal watercraft. They protect your marine applications from breakdowns, ensuring you spend your valuable free time on the water, not at the marina waiting for your equipment to be repaired.

- **Excellent** wear protection for long engine life
- **Fights** deposits to ensure maximum engine power
- **Protects** against rust during storage





Pete Maina
Hall of Fame Angler

DUMP THE PUMP

The AMSOIL Synthetic Marine Gear Lube easy-pack makes changing lower-unit gear lube easy. No more messy gear-lube pumps, and no more rigid conical bottles that waste half the fluid.





"I use this in my work boat from April to December on Georgian Bay. I actually gained 3 psi of compression when I switched to AMSOIL. My boat gets used to haul tools/materials during the day, and for fishing/transport on weekends. AMSOIL keeps it running strong."

– **Aiden**
Georgian Bay, Ontario

Tracker Marine/Bass Pro Shops Photography

WCT



WCF



WCM



HPM



ATO



AGM



AIO



Synthetic Marine Engine Oil

Formulated specifically for use in four-stroke gasoline-fueled engines used in marine applications.

10W-30

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL COST
WCTQT	-EA	1 Quart	9.49	12.69
WCTQT	-CA	12 Quarts	107.50	149.20

10W-40

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL COST
WCFQT	-EA	1 Quart	10.19	13.49
WCFQT	-CA	12 Quarts	115.50	159.50

25W-40 (Synthetic Blend)²³

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL COST
WCMQT	-EA	1 Quart	7.89	10.99
WCMQT	-CA	12 Quarts	90.00	129.50

HP Marine™ Synthetic 2-Stroke Oil¹³

Prevents piston skirt scuffing, cylinder bore scuffing and ring sticking in all two-stroke outboard motors, personal watercraft and anywhere NMMA TC-W3 and API-TC oils are specified.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL COST
HPMQT	-EA	1 Quart	9.09	12.29
HPMQT	-CA	12 Quarts	103.85	144.65
HPM1G	-EA	1 Gallon	35.69	47.69
HPM1G	-CA	4 Gallons	135.95	189.15

Outboard 100:1 Pre-Mix Synthetic 2-Stroke Oil¹³

Contains a heavy dose of low-temperature dispersant additives that excel at reducing varnish and carbon deposit formation in water-cooled outboard motors.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL COST
ATOBC	-EA	(1) 8-oz. Bottle	4.49	6.09
ATOBC	-CA	(12) 8-oz. Bottles	51.10	71.00
ATOQT	-EA	1 Quart	12.49	16.39
ATOQT	-CA	12 Quarts	142.65	194.70

Synthetic Marine Gear Lube

Delivers advanced outboard protection against power loss and gear wear, even with up to 15 percent water contamination.⁴ Use in outboard lower units, stern drives, V-drives, bow and tunnel thrusters and marine transmissions.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL COST
AGMTB	-EA	(1) 10-oz. Tube	6.49	8.59
AGMTB	-CA	(6) 10-oz. Tubes	36.90	50.95
AGMQT	-EA	1 Quart	10.79	14.29
AGMQT	-CA	12 Quarts	123.10	169.55
AGMPK	-EA	1 Quart Easy-Pack	12.49	16.39
AGMPK	-CA	12 Quart Easy-Packs	142.25	194.15
AGM05	-EA	(1) 5-gal. Pail	199.90	271.30

Synthetic 2-Stroke Injector Oil¹³

High-quality, cost-effective oil for the severe operating conditions of two-stroke snowmobiles and outboard motors.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL COST
AIOQT	-EA	1 Quart	7.89	10.99
AIOQT	-CA	12 Quarts	89.55	129.00
AIO1G	-EA	1 Gallon	30.89	42.79
AIO1G	-CA	4 Gallons	117.70	169.35

Marine Gear Lube Pump²⁷

Eases installation and reduces mess when servicing lower units with quarts of AMSOIL Synthetic Marine Gear Lube.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL COST
G3456	EA	1 gear lube pump	10.10	11.10

^{13,23,27} See page 47 for Proposition 65 information for this product.

⁴Based upon AMSOIL testing of AMSOIL Synthetic Marine Gear Lube 75W-90 in ASTM 3233 and ASTM D892.



***POWERFUL PROTECTION
WITH A SLED WARRANTY***



**LECTION
TO MATCH**

Snowmobile

Don't let the powersports manufacturers bully you into buying their brand of oil. You have the freedom to choose your brand of oil and keep your warranty intact.

To show our support for riders and to double-down on our confidence in our snowmobile oil, we offer the Runs on Freedom™ Limited Snowmobile Warranty.

It covers engine repairs for two years or 5,000 miles, whichever comes first, on current-model-year sleds that use AMSOIL INTERCEPTOR® Synthetic 2-Stroke Oil exclusively.

Get details and register at AMSOIL.com/rotwarranty.



How Does AMSOIL Synthetic Snowmobile Oil Stand Up?

Riders love to push their sleds hard. **And they love to push rental sleds even harder.**

That's why we tested AMSOIL INTERCEPTOR® Synthetic 2-Stroke Snowmobile Oil in this rental Polaris® Pro RMK* 850 ridden hard in the Canadian mountains.

An engine teardown following the season showed that INTERCEPTOR prevented piston-ring sticking, piston scuffing and exhaust-power-valve sticking for maximum engine performance and life.

AMSOIL Fights Wear

AMSOIL INTERCEPTOR® Synthetic 2-Stroke Oil delivered **outstanding wear protection and cleanliness** in a rental sled throughout 1,617 miles (2,602 km) of abuse.^{CC}

AMSOIL kept pistons virtually free of carbon with nearly all coating intact.



AMSOIL fought the formation of carbon deposits, allowing power valves to move freely.



^{CC}Based upon use of a new 2019 Polaris® RMK® 850 as a rental sled at Grizzly Lodge December 2018 - February 2019. *All trademarked names and images are the property of their respective owners and may be registered marks in some countries. No affiliation or endorsement claim, express or implied, is made by their use.





Watch the torture test video at [youtube.com/amsoilinc](https://www.youtube.com/amsoilinc) by searching "Grizzly Lodge."



"I've always had great results with this oil in my snowmobiles. Doesn't smoke or smell, and my Rave valves are always very clean."

— **SMG**
Pa.

AIT



● INTERCEPTOR® Synthetic 2-Stroke Oil¹³

Prevents piston skirt scuffing, ring sticking and exhaust power valve sticking in two-stroke snowmobiles.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL COST
AITQT	-EA	1 Quart	10.19	13.59
AITQT	-CA	12 Quarts	115.85	160.05
AIT1G	-EA	1 Gallon	39.89	52.89
AIT1G	-CA	4 Gallons	151.90	209.70

AIO



● Synthetic 2-Stroke Injector Oil¹³

High-quality, cost-effective oil for the severe operating conditions of two-stroke snowmobiles and outboard motors.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL COST
AIOQT	-EA	1 Quart	7.89	10.99
AIOQT	-CA	12 Quarts	89.55	129.00
AIO1G	-EA	1 Gallon	30.89	42.79
AIO1G	-CA	4 Gallons	117.70	169.35

TDR



● DOMINATOR® Synthetic 2-Stroke Racing Oil¹³

Delivers outstanding wear protection in high-horsepower and modified racing or trail motors, including snowmobiles, motorcycles, ATVs, personal watercraft, go-carts and outboard racing motors.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL COST
TDRQT	-EA	1 Quart	10.69	14.19
TDRQT	-CA	12 Quarts	121.45	167.35
TDR1G	-EA	1 Gallon	41.89	55.29
TDR1G	-CA	4 Gallons	159.40	219.40

TCC



○ Synthetic Chaincase & Gear Oil

Superior protection for enclosed chains and gears found in snowmobiles, ATVs, UTVs and general equipment.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL COST
TCCCN	-EA	(1) 16-oz. Bottle	9.09	12.39
TCCCN	-CA	(6) 16-oz. Bottles	52.00	73.70
TCC05	-EA	(1) 5-gal. Pail	215.10	290.05

AFF



● Formula 4-Stroke® Powersports Synthetic Motor Oil

Specially formulated for four-stroke recreational motors, ATVs and snowmobiles.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL COST
AFFQT	-EA	1 Quart	10.99	14.49
AFFQT	-CA	12 Quarts	124.80	171.45

¹³See page 47 for Proposition 65 information for this product.



“AMSOIL products are the best on the market and definitely give us an added performance factor.”

– **Bryce Menzies**

3X Baja 500 Winner
2X Mint 400 Winner

Racing

Taking the checkered flag requires you to push your race vehicle to the limit. But the intense heat and high rpm of racing create conditions that can lead to costly breakdowns, ending a race as quickly as a wreck. AMSOIL synthetic lubricants are formulated to withstand the devastating effects of powerful racing vehicles. They help give you a competitive edge on race day.

- **Exceptional** protection in extreme conditions
- **Designed** to reduce friction for maximum horsepower
- **Withstand** the rigors of high-horsepower, high-torque engines





RD20



RD30



RD50



RD60



DCO



DOMINATOR® Synthetic Racing Oil

Superior performance and maximum protection in high-performance and racing applications.

● 5W-20¹⁷

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL COST
RD20QT	-EA	1 Quart	11.79	15.59
RD20QT	-CA	12 Quarts	134.75	184.35

● 10W-30¹⁷

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL COST
RD30QT	-EA	1 Quart	11.49	15.19
RD30QT	-CA	12 Quarts	130.80	179.30

● 15W-50¹⁷

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL COST
RD50QT	-EA	1 Quart	11.99	15.79
RD50QT	-CA	12 Quarts	137.10	187.40
RD501G	-EA	1 Gallon	47.39	61.99
RD501G	-CA	4 Gallons	180.25	246.15

● SAE 60¹⁷

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL COST
RD60QT	-EA	1 Quart	12.39	16.29
RD60QT	-CA	12 Quarts	141.50	193.15


● 20W-50 Synthetic Competition Diesel Oil

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL COST
DCOQT	-EA	1 Quart	10.39	13.79
DCOQT	-CA	12 Quarts	117.85	162.70
DCO1G	-EA	1 Gallon	40.59	53.69
DCO1G	-CA	4 Gallons	154.65	213.20

DOMINATOR® Protects Better

DOMINATOR Competition Diesel Oil delivers **50% more** film thickness² to withstand high cylinder pressures and protect against wear.

HIGH-TEMPERATURE/HIGH-SHEAR (HTHS) VISCOSITY
Higher = Better Wear Protection



²Compared to the 3.5 cP HTHS limit for SAE 15W-40.

¹⁷See page 47 for Proposition 65 information for this product.

GBS2960



● **Briggs & Stratton Synthetic® 4T Racing Oil¹⁷**

Formulated by AMSOIL specifically for stock and modified small-displacement air-cooled racing engines and recommended for any four-stroke air-cooled competition engine.

- Designed to help racers elicit the most horsepower and longest life from their engines.
- Resists the elevated heat common to high-performance racing engines.
- Reduces energy loss due to friction.
- Provides strong anti-wear properties.
- Resists foam.
- Protects against the formation of corrosion between races and during longer storage periods.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL COST
GBS2960	-EA	1 Quart	11.25	15.95
GBS2960	-CA	12 Quarts	134.90	191.56



¹⁷See page 47 for Proposition 65 information for this product.

SVG



AGL



SVT



SVO



SRT



SEVERE GEAR® Synthetic Gear Lube

Specifically engineered for high-demand applications, including trailer towing, heavy hauling, 4x4 off-road driving, commercial use and racing.

● 75W-90

Top fuel efficiency and cold-temperature performance

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL COST
SVGQT	-EA	1 Quart	14.79	19.19
SVGQT	-CA	12 Quarts	168.65	227.85
SVGPK	-EA	1 Quart Easy-Pack	14.79	19.19
SVGPK	-CA	12 Quart Easy-Packs	168.65	227.85
SVG05	-EA	(1) 5-gal. Pail	266.60	355.45

● 80W-90

Excellent extreme-pressure performance and wear protection

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL COST
AGLQT	-EA	1 Quart	10.89	14.49
AGLQT	-CA	12 Quarts	124.40	171.15
AGLPK	-EA	1 Quart Easy-Pack	12.49	16.39
AGLPK	-CA	12 Quart Easy-Packs	142.75	194.80
AGL05	-EA	(1) 5-gal. Pail	192.85	262.40

● 75W-110

Extra viscosity protection without sacrificing fuel efficiency

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL COST
SVTQT	-EA	1 Quart	14.89	19.39
SVTQT	-CA	12 Quarts	169.90	229.55
SVTPK	-EA	1 Quart Easy-Pack	16.59	21.39
SVTPK	-CA	12 Quart Easy-Packs	189.35	254.55
SVT05	-EA	(1) 5-gal. Pail	268.75	358.20

● 75W-140

Maximum viscosity protection for severe-duty applications

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL COST
SVOQT	-EA	1 Quart	16.59	21.39
SVOQT	-CA	12 Quarts	188.70	253.70
SVOPK	-EA	1 Quart Easy-Pack	16.59	21.39
SVOPK	-CA	12 Quart Easy-Packs	188.70	253.70
SVO05	-EA	(1) 5-gal. Pail	300.00	397.80

SEVERE GEAR® EP Synthetic Racing Gear Lube

Engineered specifically for the demands of off-road truck racing, rock racing, rock crawling, tractor pulling, funny car racing and dragster racing applications.

● SAE 250²⁸

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL COST
SRTQT	-EA	1 Quart	15.39	19.89
SRTQT	-CA	12 Quarts	175.10	236.40
SRT05	-EA	(1) 5-gal. Pail	286.55	381.10

“Whoever invented the easy-pack concept is a genius. Especially for servicing transfer cases and differentials. It lives up to its name.

Not only an innovative oil, but innovative packaging as well.”

— **Joey**
Calif.

²⁸See page 47 for Proposition 65 information for this product.





ADA



GRG

● Slip Lock® Differential Additive²¹

Designed to eliminate gear-housing chatter in cars, trucks and SUVs equipped with limited-slip differentials.

Note: AMSOIL synthetic gear lubes do not require the use of this additive. However, not all differentials respond the same and if chatter is noticed, the addition of AMSOIL Slip Lock will eliminate it.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL COST
ADATB	-EA	(1) 4-oz. Tube	7.99	10.19
ADATB	-CA	(12) 4-oz. Tubes	90.90	121.25



GLC

GLC3P



DOMINATOR® Synthetic Racing Grease

High-speed and high-temperature bearing and chassis grease for all race applications on snow, dirt, water and track. GC-LB NLGI #2.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL COST
GRGCR	-EA	(1) 14-oz. Cartridge	12.29	16.79
GRGCR	-CA	(10) 14-oz. Cartridges	119.90	162.10

Synthetic Multi-Purpose Grease

Delivers premium wear protection for bearings, bushings, chassis lubrication and other applications. GC-LB NLGI #2.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL COST
GLCCR	-EA	(1) 14-oz. Cartridge	7.39	10.29
GLCCR	-CA	(10) 14-oz. Cartridges	71.05	97.85
GLC3P	-EA	(3) 3-oz. Cartridges	8.89	11.99
GLC3P	-CA	(30) 3-oz. Cartridges	84.35	113.40
GLCGN	-EA	Grease Gun Kit	30.55	41.30

GLCGN



GWR

GWR3P



Synthetic Water-Resistant Grease

Provides outstanding water-washout and spray-off resistance for applications frequently exposed to water, mud, snow or ice. GC-LB NLGI #2.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL COST
GWRRCR	-EA	(1) 14-oz. Cartridge	7.69	10.69
GWRRCR	-CA	(10) 14-oz. Cartridges	74.05	101.85
GWR3P	-EA	(3) 3-oz. Cartridges	9.49	12.89
GWR3P	-CA	(30) 3-oz. Cartridges	90.45	121.40

Spray Grease

Applies quickly and evenly and is ideal for greasing hard-to-reach equipment, including hinges, springs, industrial chains, latches, slides, winches and other common applications.


STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL COST
GSPSC	-EA	(1) 10-oz. Spray Can	7.59	9.89
GSPSC	-CA	(12) 10-oz. Spray Cans	86.50	116.65



GSP



G2039



G1230

G1242



G3721

Easy Installation

PRODUCT	STOCK#	P.C. PRICE	FULL COST
Hand Pump	G2039	10.50	11.55
Flexible Pour Spout	G1230	0.80	0.90
Nozzle Dispenser Caps (6)	G1242	1.05	1.20
FloTool Flexible Pour Spout	G3721	4.20	4.65

²¹See page 47 for Proposition 65 information for this product.



“Great product. No fouled plugs during break in, quick and steady power gains. 15 hours in and the oil still looks clean on the dipstick. Very pleased with product.”

– Benjamin
Yuma, Ariz.

EAL



Assembly Lube¹⁷

Formulated to cling to engine parts and provide exceptional wear protection in newly built or rebuilt high-performance, racing and other four-stroke engines.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL COST
EALTB	-EA	(1) 4-oz. Tube	7.69	9.89
EALTB	-CA	(12) 4-oz. Tubes	87.95	117.35

BRK



Break-In Oil¹⁷

Allows for quick and efficient piston ring seating in new and rebuilt high-performance and racing engines.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL COST
BRKQT	-EA	1 Quart	7.59	10.29
BRKQT	-CA	12 Quarts	85.75	121.50

ART



Super Shift[®] Synthetic Racing Transmission Fluid¹⁷

Formulated to prevent slippage and reduce heat in high-performance, high-horsepower vehicles.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL COST
ARTQT	-EA	1 Quart	11.79	15.49
ARTQT	-CA	12 Quarts	134.40	183.80

STL



Shock Therapy[®] Suspension Fluid

Controls friction, heat, wear, foaming and scuffing in suspension components

Shock Therapy Suspension Fluid¹⁷

Use in applications that demand quick rebounds under extreme temperatures.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL COST
STLQT	-EA	1 Quart	12.79	16.69
STLQT	-CA	12 Quarts	146.05	198.50
STL05	-EA	(1) 5-gal. Pail	238.15	318.85

STM



Shock Therapy Suspension Fluid¹⁷

Use in applications that require more dampening and slower rebounds.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL COST
STMQT	-EA	1 Quart	12.69	16.49
STMQT	-CA	12 Quarts	144.10	196.10
STM05	-EA	(1) 5-gal. Pail	234.85	314.90

ASO



Formula 4-Stroke[®] Synthetic Scooter Oil¹³

Formulated specifically to meet the special needs of today's high-tech air- and water-cooled four-stroke motorized scooters.


STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL COST
ASOQT	-EA	1 Quart	9.09	12.29
ASOQT	-CA	12 Quarts	103.80	144.45

^{13,17}See page 47 for Proposition 65 information for this product.



99% Efficiency at 20 Microns

Filtering particles >20 microns fights engine wear.^{AA}



^{AA}In accordance with industry-standard ISO SO 4548-12.



More Premium Filters

AMSOIL offers a variety of specialty oil and air filters constructed with premium synthetic technology. Call (715) 399-TECH (Monday-Friday, 8 a.m. - 5 p.m. Central Time) for application information.



Ea® Racing Air Filters

Available While Supplies Last

Specially designed for carbureted racing and street rod applications, providing higher dirt-holding capacity, lower pressure drop and greater airflow and efficiency. Cleanable and remain serviceable for long filter life.

Ea® Pre-Filters

Available While Supplies Last

Constructed of woven mesh and designed to fit over the top of Ea Racing and Air Induction Filters, preventing large particles from sticking to them and blocking airflow. Easily removed and shaken free of debris in seconds. Cleanable and remain serviceable for up to one year.

Motorcycle Oil Filters

Designed for motorcycles, ATVs and four-stroke personal watercraft, snowmobiles and outboard motors, stopping smaller dirt particles, offering less restriction, extending equipment and filter life and improving performance. Fluted for easy removal. Available in black or chrome (as available).



EAOM122 and EAOM133C available while supplies last. EAOM134 and EAOM134C are suitable replacements.

Motorcycle Oil Filters

STOCK#	UNITS	P.C. PRICE	FULL COST
EaOM103	-EA	14.80	18.45
EaOM103C	-EA	18.75	23.30
EaOM109	-EA	15.10	18.80
EAOM133C	-EA	18.10	22.60
EAOM134	-EA	13.35	16.75
EAOM134C	-EA	16.15	20.20
EAOM135	-EA	13.95	17.45
EAOM135C	-EA	16.80	21.10
EAOM136C	-EA	16.80	21.05
EAOM138	-EA	16.05	19.95

Chrome filters designated with "C".



AMSOIL Fights Corrosion

AMSOIL provides corrosion protection Sea Foam® Motor Treatment can't match, helping maintain power and performance and keeping metal looking like new even when subjected to salt water.*



*Based upon independent testing of AMSOIL Gasoline Stabilizer obtained Nov. 3, 2018 and Sea Foam Motor Treatment purchased Oct. 25, 2018 in a modified NACE TM0172 using synthetic sea water per ASTM D665 part B.





Gasoline Stabilizer¹³

Helps prevent the formation of varnish and sludge in stored seasonal equipment such as snowmobiles, lawnmowers, motorcycles and boats. One oz. treats 2.5 gallons of gasoline.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL COST
ASTCN	-EA	(1) 16-oz. Bottle	10.29	13.59
ASTCN	-CA	(6) 16-oz. Bottles	58.75	80.40

Quickshot[®]

Effectively addresses performance issues related to ethanol, water and dirty pump gas in two- and four-stroke gasoline-powered engines and powersports equipment fuel systems, restoring peak performance. Designed for an initial clean-up dose of 8 oz. per 6 gallons of gasoline, followed by 8 oz. per 12 gallons thereafter.

Motorcycles • Snowmobiles • Boats • UTVs/ATVs • Edgers • Tillers • Mowers • Snowblowers • Chainsaws • Generators • Farm & Construction Equipment • and more

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL COST
AQSCN	-EA	(1) 8-oz. Bottle	8.09	10.59
AQSCN	-CA	(6) 8-oz. Bottles	45.90	62.90
AQSQT	-EA	1 Quart	25.99	32.99
AQSQT	-CA	12 Quarts	297.00	393.15

Motorcycle Octane Boost²¹

Increases octane in four-stroke air- or liquid-cooled motorcycles for maximum power and efficiency. Treats 4-6 gallons of gasoline.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL COST
MOBCN	-EA	(1) 4-oz. Bottle	4.39	5.59
MOBCN	-CA	(12) 4-oz. Bottles	49.85	65.90

DOMINATOR[®] Octane Boost²¹

Improves the performance of all two- and four-stroke gasoline-fueled engines. Treats up to 15 gallons of gasoline.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL COST
AOBBE	-EA	(1) 12-oz. Bottle	8.79	11.29
AOBBE	-CA	(6) 12-oz. Bottles	50.25	66.85

Fluid Extraction Pump

STOCK#	WT.LBS.	P.C. PRICE	FULL COST
G2576	2.0	15.75	17.35

Aids in the removal of old fluids when servicing vehicles.



^{13,21}See page 47 for Proposition 65 information for this product.



AMP4SC



AMP




AMW5SC



ACL4SC



AMW



FOG5SC

Metal Protector

Displaces water, lubricates, penetrates and protects metal surfaces from corrosion, including hinges, squeaky mechanical objects, electrical systems and more.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL COST
AMP4SC	-EA	(1) 4-oz. Spray Can	4.69	6.09
AMP4SC	-CA	(12) 4-oz. Spray Cans	52.90	70.75
AMP5C	-EA	(1) 8.75-oz. Spray Can	6.09	7.99
AMP5C	-CA	(12) 8.75-oz. Spray Cans	69.70	93.70

Heavy-Duty Metal Protector

Penetrates and adheres to metal surfaces, leaving a long-lasting coating that protects against the damaging effects of salt, moisture or chemical corrosion.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL COST
AMH5C	-EA	(1) 15-oz. Spray Can	10.19	13.99
AMH5C	-CA	(12) 15-oz. Spray Cans	115.50	166.25

Chain Lube

Helps riders avoid the hassles of frequent reapplication and the stresses of worrying about chain durability. Provides outstanding protection against wear and corrosion. Helps extend chain life. Does not attract dirt and does not fling off. Fast-drying.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL COST
ACL4SC	-EA	(1) 4.5-oz. Spray Can	5.49	7.19
ACL4SC	-CA	(12) 4.5-oz. Spray Cans	61.75	83.85
ACL5C	-EA	(1) 11-oz. Spray Can	9.39	12.29
ACL5C	-CA	(6) 11-oz. Spray Cans	53.30	72.95

Miracle Wash® Waterless Wash & Wax

Unique dry car wash and polish delivers outstanding performance and quick, easy and economical spray application. No water required.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL COST
AMW5C	-EA	(1) 13-oz. Spray Can	8.59	11.09
AMW5C	-CA	(12) 13-oz. Spray Cans	97.85	131.20

Engine Fogging Oil

Helps prevent corrosion and dry starts to internal engine components found in outboard motors, lawn and garden equipment, motorcycles, snowmobiles, ATVs, motor homes and generators during storage or long periods of inactivity.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL COST
FOG5C	-EA	(1) 12-oz. Aerosol Can	7.99	10.39
FOG5C	-CA	(12) 12-oz. Aerosol Cans	45.30	60.95

ON- AND OFF-ROAD PROTECTION

- Outstanding protection against wear and corrosion
- Helps extend chain life
- Does not attract dirt
- Does not fling off
- Easy application
- Fast-drying



Power Foam®

Improves starting and performance by cleaning dirty intake systems and spark plugs; freeing sticky valves and removing gum, varnish and carbon deposits.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL COST
APFSC	-EA	(1) 18-oz. Spray Can	8.69	11.39
APFSC	-CA	(12) 18-oz. Spray Cans	98.40	134.60

Heavy-Duty Degreaser

Formulated with powerful and fast-acting solvents, attacking petroleum-based grime on a molecular level to loosen its hold on metal, concrete, engines and other surfaces.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL COST
ADGSC	-EA	(1) 15-oz. Spray Can	11.39	14.59
ADGSC	-CA	(12) 15-oz. Spray Cans	129.35	173.05

Silicone Spray²⁶

Perfect for lubricating or protecting rubber, nylon, plastics, upholstery, vinyl, wood, cardboard, fiberglass. Also excellent for waterproofing leather products.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL COST
ALSSP	-EA	(1) 10-oz. Spray Can	7.79	10.19
ALSSP	-CA	(12) 10-oz. Spray Cans	89.10	119.95

Mudslinger

Provides a protective layer of armor against the accumulation of mud, dirt and snow on ATVs, UTVs and dirt bikes, easing clean-up. Restores, cleans and shines plastic, fiberglass and painted surfaces.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL COST
AMSSC	-EA	(1) 12-oz. Spray Can	8.39	10.89
AMSSC	-CA	(12) 12-oz. Spray Cans	94.90	128.80

Engine Degreaser

Effectively cleans engine surfaces by cutting through grease, oil and grime.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL COST
AEDSC	-EA	(1) 15-oz. Spray Can	7.19	9.39
AEDSC	-CA	(12) 15-oz. Spray Cans	81.45	110.10

Glass Cleaner

Cuts through grease and grime faster than other leading glass cleaners, stays where you spray it and leaves no streaks.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL COST
AGCSC	-EA	(1) 19-oz. Spray Can	4.09	5.29
AGCSC	-CA	(12) 19-oz. Spray Cans	46.15	61.40

²⁶See page 47 for Proposition 65 information for this product.

ANT



ANTPC



PSAF



RDCB



AIR



BFLV



BFR



○ Propylene Glycol Antifreeze & Coolant

Combines the benefits of biodegradability, low toxicity and all-climate protection for up to 150,000 miles or 5 years, whichever comes first, in passenger cars and light trucks. Protection up to 1,000,000 miles, 20,000 hours or 8 years, whichever comes first, in heavy-duty applications. Concentrated formula.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL COST
ANT1G	-EA	1 Gallon	30.59	42.49
ANT1G	-CA	4 Gallons	116.55	168.10

● Passenger Car/Light Truck Antifreeze & Coolant¹⁵

Engineered to exceed original equipment manufacturer requirements for up to 150,000 miles or 5 years, whichever comes first, in passenger cars and light trucks. Pre-mixed formula.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL COST
ANTPC1G	-EA	1 Gallon	15.69	23.99
ANTPC1G	-CA	4 Gallons	59.45	94.35

○ Powersports Antifreeze & Coolant¹⁵

Advanced design helps control operating temperature in hot-running, high-revving powersports applications. Extended-life formula provides all-season protection for up to five years.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL COST
PSAFQT	-EA	1 Quart	7.49	10.29
PSAFQT	-CA	12 Quarts	85.05	120.75

○ DOMINATOR® Coolant Boost

Helps reduce engine temperatures, increase horsepower, promote faster engine warm-up times and reduce radiator and engine corrosion in racing and passenger vehicles.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL COST
RDCBCN	-EA	(1) 16-oz. Bottle	10.19	13.39
RDCBCN	-CA	(6) 16-oz. Bottles	58.25	79.25

○ Synthetic Air Tool Oil

Effectively lubricates rotary and piston-type air-tool bearings and motors, while managing moisture and conditioning rubber and plastic seals and O-rings.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL COST
AIRBA	-EA	(1) 4-oz. Bottle	3.59	4.79
AIRBA	-CA	(12) 4-oz. Bottles	40.55	55.75

○ DOT 3 & 4 Synthetic Brake Fluid¹¹

High-performance brake fluid specially designed as a multi-use product for passenger-car, light-truck and powersports applications.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL COST
BFLVCN	-EA	(1) 12-oz. Bottle	6.59	8.59
BFLVCN	-CA	(12) 12-oz. Bottles	74.35	101.00

○ DOMINATOR® DOT 4 Synthetic Racing Brake Fluid¹⁰

High boiling point brake fluid engineered to resist brake fade and vapor lock during intense racing applications.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL COST
BFRCN	-EA	(1) 12-oz. Bottle	12.09	17.09
BFRCN	-CA	(12) 12-oz. Bottles	138.20	203.10

^{10,11,15} See page 47 for Proposition 65 information for this product.



Brake and Parts Cleaner

Professional strength parts cleaner that quickly removes oil, grease, brake fluid and other contaminants from brake parts and other automotive components.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL COST
BPCSC	-EA	(1) 19-oz. Spray Can	4.79	6.59
BPCSC	-CA	(12) 19-oz. Spray Cans	54.55	76.90

Multi-Vehicle Synthetic Power Steering Fluid¹³

Provides excellent wear protection, long component life and quiet operation in most passenger car/light trucks.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL COST
PSFCN	-EA	(1) 16-oz. Bottle	7.19	9.59
PSFCN	-CA	(12) 16-oz. Bottles	82.25	114.20

CALIFORNIA PROPOSITION 65 WARNING STATEMENTS

- 10 ⚠️ WARNING:** This product can expose you to 2,2'-Iminodiethanol, which is known to the State of California to cause cancer, and Ethanediol, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.
- 11 ⚠️ WARNING:** This product can expose you to Diethanolamine, which is known to the State of California to cause cancer, and 2-Methoxyethanol, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.
- 13 ⚠️ WARNING:** This product can expose you to Benzene, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.
- 15 ⚠️ WARNING:** This product can expose you to Ethanediol, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.
- 17 ⚠️ WARNING:** This product can expose you to Ethylbenzene, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.
- 21 ⚠️ WARNING:** This product can expose you to Naphthalene, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.
- 22 ⚠️ WARNING:** This product can expose you to Titanium dioxide, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.
- 23 ⚠️ WARNING:** This product can expose you to Titanium dioxide, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.
- 24 ⚠️ WARNING:** This product can expose you to Trace Metals, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.
- 26 ⚠️ WARNING:** This product can expose you to n-Hexane, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.
- 27 ⚠️ WARNING:** This product can expose you to Di(2-ethylhexyl)phthalate (DEHP), which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.
- 28 ⚠️ WARNING:** This product can expose you to Ethylbenzene, which is known to the State of California to cause cancer, and Toluene, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.



ISO 9001/14001 REGISTERED

AMSOIL INC.
One AMSOIL Center
Superior, WI 54880

WE HONOR



(Discover in U.S. only)

Your Servicing **AMSOIL Dealer**

Use this referral number to save time and make ordering easier. Call 1-800-956-5695 or log in at AMSOIL.com. ▼

Referral #

323230

AMSOIL also offers a full line of premium synthetic lubricants for automotive applications. See your servicing AMSOIL Dealer for more information.

AMSOIL INC., 925 Tower Ave., Superior, WI 54880 • 715-392-7101 • Printed in the USA
© 2021, AMSOIL INC. All rights reserved. The AMSOIL logo is a registered trademark of AMSOIL INC.



Minimum 10%
Post-Consumer Fiber

U.S. G3511 6/21