

AMSOIL

Automotive



FREE SHIPPING ON ORDERS OF \$100 OR MORE

TO ORDER: 1-800-956-5695 MONDAY – FRIDAY 7 A.M. – 7 P.M. CT | [AMSOIL.com](https://www.amsoil.com)

Free Shipping on orders of \$100 or more in the contiguous U.S.*

**BECOME AN AMSOIL
PREFERRED CUSTOMER FOR
EVEN MORE GREAT BENEFITS:**



Reduced Pricing
Save up to 25 percent on every order.



Free Shipping



Special Offers
Preferred Customers receive exclusive promotions.



Free Swag
Randomly receive free hats, shirts or other gear when you place an order.



P.C. Points
Earn points on all purchases. Every 50 points earned is redeemable for \$1 off a future order.



Referral Rewards
Refer friends and family members to the AMSOIL P.C. Program and receive 500 bonus points when the referred customer makes a qualifying purchase.

Sign up at [AMSOIL.com/pc](https://www.amsoil.com/pc) today and use this referral number. ▼

Referral # _____

**Orders below that threshold pay a flat shipping rate of \$8.99. Exclusions apply. See the shipping & handling policy at [AMSOIL.com/storefront/shippinginformation.aspx](https://www.amsoil.com/storefront/shippinginformation.aspx)*



Product Index

Motor Oil	9
European Motor Oil	17
Diesel Oil	22
Classic/Collector Car Motor Oil	27
Transmission Fluid	29
Gear Lube	31
Filters	32
Gasoline Additives	33
Grease	33
Diesel Additives	36
Brake Fluid/Brake & Parts Cleaner	37
Cleaners and Protectants	38
Coolant and Power Steering Fluid	39



All AMSOIL lubricants and filters are covered by the AMSOIL Limited Warranty. For details visit AMSOIL.com/warranty.aspx.

All trademarked names and images are the property of their respective owners and may be registered marks in some countries. No affiliation or endorsement claim, express or implied, is made by their use.

Automotive

AMSOIL synthetic motor oils are crafted in the lab using ultra-premium base oils and additives. We don't fool around with conventional refining techniques or low-grade chemicals that leave performance to chance. We design lubricants to precise requirements and the highest performance standards so you can be confident that your vehicle is protected.

- **Industry**-leading performance and protection
- **Engineered** for advanced automotive technology like turbos and direct injection
- **Reserve** protection that allows you to go longer between oil changes if you choose





Signature Series Protects Against LSPI

AMSOIL Synthetic Motor Oils achieved **100% protection** against LSPI.^B



Example of piston damage due to an LSPI event observed during the testing of a competitor's motor oil. The red arrows indicate sections of the ring land that have broken away from the piston.

^BBased on zero LSPI events in five consecutive tests of AMSOIL Signature Series, XL and OE 5W-30 Motor Oil in the LSPI engine test required by the GM dexos1 Gen 2 specification.

This is a great fully synthetic oil that never disappoints. I love the extended change intervals that I get with this product. I can run this oil for extended drain intervals and not worry one bit.

– **Stephen**
Foxworth, Miss.

How Do AMSOIL Products Stand Up?

Gasoline Vehicles

OUTPERFORMS INDUSTRY STANDARDS

The Sequence IVA Engine Test simulates extended periods of stop-and-go driving – conditions that encourage engine wear. We used Signature Series 0W-20, the lightest viscosity in the line, to further increase the severity of the test. **AMSOIL Signature Series Synthetic Motor Oil provided 75 percent more engine protection against horsepower loss and wear¹ than required by the industry standard**, extending the life of vital components like pistons and cams.

Signature Series Delivers Powerful Protection

AMSOIL delivers powerful protection. How good is it? An independent lab compared AMSOIL synthetic motor oil head-to-head against a leading competitor in a 100,000-mile test². AMSOIL provided far superior wear protection and kept bearings looking like new.



²Testing conducted in an independent lab using AMSOIL Signature Series 5W-30 Synthetic Motor Oil and a leading synthetic-blend 5W-30 motor oil in Ford F-150 trucks with 3.5L twin-turbo engines.

¹Based on independent testing of AMSOIL Signature Series 0W-20, in ASTM D6891 as required by the API SN PLUS specification.





Signature Series Guards Turbos

Protects turbochargers **72% better** than required^C by the GM dexos1[®] Gen 2 specification.

^CBased on independent testing of AMSOIL Signature Series 5W-30 in the GM turbo coking test.


Signature Series Cleans

AMSOIL Signature Series Synthetic Motor Oil has **50% more** detergents^D to help keep oil passages clean and promote oil circulation. It provides **90% better protection** against sludge^{DD}.

^Dvs. AMSOIL OE Motor Oil^{DD}Based on independent testing of AMSOIL Signature Series 5W-30 in the ASTM D6593 engine test for oil screen plugging as required by the API SN PLUS specification.

Signature Series Helps Keep Valves Clean

AMSOIL fights volatility^U **38% better** than Mobil 1[®] and **17% better** than Royal Purple[®], helping reduce oil consumption and keep valves clean.



^UBased on independent testing of AMSOIL Signature Series Synthetic 5W-20, Mobil 1[®] Advanced Synthetic 5W-20, Royal Purple[®] High Performance Synthetic 5W-20 in ASTM D5800. Oils purchased Oct.-Nov. 2018.


AMSOIL Helps Keep Engines Cleaner

AMSOIL Signature Series is fortified with a heavy treatment of detergent additives, delivering **28 percent more acid-neutralizing power** than Mobil 1^{*} and helping engines stay cleaner, longer.^{LL}

^{LL}Based upon independent testing of Mobil 1 Annual Protection Full Synthetic 5W-30 and AMSOIL Signature Series 5W-30 in ASTM D2896. Oils purchased July 2020.

AMSOIL Resists Viscosity Increase

AMSOIL is barely challenged by the industry-standard testing, demonstrating only a 0.1% viscosity increase. Even when the test length is doubled, AMSOIL delivered **twice the viscosity control** required by the standard.⁶⁶



⁶⁶Based on independent testing of AMSOIL Signature Series 5W-30 in the Sequence IIHH Engine Test (ASTM D8111), required by the ILSAC GF-6 and API SP specifications.





Signature Series Synthetic Motor Oil

Engineered for enthusiasts seeking maximum protection and performance. Precision-formulated with cutting-edge technology and a longstanding devotion to making the world's best motor oil. The result: engine protection that blows the doors off the highest industry standards.

● 0W-20

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ASMQT	-EA	1 Quart	10.69	14.19
ASMQT	-CA	12 Quarts	121.40	167.15
ASM1G	-EA	1 Gallon	41.89	55.29
ASM1G	-CA	4 Gallons	159.35	219.15

● 5W-20

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ALMQT	-EA	1 Quart	10.69	14.19
ALMQT	-CA	12 Quarts	121.40	167.15
ALM1G	-EA	1 Gallon	41.89	55.29
ALM1G	-CA	4 Gallons	159.35	219.15

● 0W-30

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AZOQT	-EA	1 Quart	10.69	14.19
AZOQT	-CA	12 Quarts	121.40	167.15
AZO1G	-EA	1 Gallon	41.89	55.29
AZO1G	-CA	4 Gallons	159.35	219.15

● 5W-30

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ASLQT	-EA	1 Quart	10.69	14.19
ASLQT	-CA	12 Quarts	121.40	167.15
ASL1G	-EA	1 Gallon	41.89	55.29
ASL1G	-CA	4 Gallons	159.35	219.15

● 10W-30

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ATMQT	-EA	1 Quart	10.69	14.19
ATMQT	-CA	12 Quarts	121.40	167.15
ATM1G	-EA	1 Gallon	41.89	55.29
ATM1G	-CA	4 Gallons	159.35	219.15

● 0W-40

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AZFQT	-EA	1 Quart	10.69	14.19
AZFQT	-CA	12 Quarts	121.40	167.15

○ 5W-50


STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AMRQT	-EA	1 Quart	10.69	14.19
AMRQT	-CA	12 Quarts	121.40	167.15

XL Resists Oil Breakdown

Provides **64% more protection** against oil breakdown^F than required by the GM dexos1[®] Gen 2 specification.

GM OXIDATION AND DEPOSIT (GMOD) TEST

Lower Number = Better Viscosity Control



^FBased on independent testing of AMSOIL XL 5W-30 motor oil in the GMOD engine test required for the GM dexos1 Gen2 specification.





XL Synthetic Motor Oil

For enthusiasts who want to do something extra for their vehicle. Engineered for advanced automotive technology, including turbos and direct injection. Boosted formulation delivers more cleaning power and wear protection that lasts up to 12,000 miles or 1 year, whichever comes first.

● XL 0W-20

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
XLZQT	-EA	1 Quart	8.19	11.19
XLZQT	-CA	12 Quarts	93.60	131.30
XLZ1G	-EA	1 Gallon	32.09	43.29
XLZ1G	-CA	4 Gallons	122.05	171.15

● XL 5W-20

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
XLMQT	-EA	1 Quart	8.19	11.19
XLMQT	-CA	12 Quarts	93.60	131.30
XLM1G	-EA	1 Gallon	32.09	43.29
XLM1G	-CA	4 Gallons	122.05	171.15

● XL 5W-30

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
XLFQT	-EA	1 Quart	8.19	11.19
XLFQT	-CA	12 Quarts	93.60	131.30
XLF1G	-EA	1 Gallon	32.09	43.29
XLF1G	-CA	4 Gallons	122.05	171.15

● XL 10W-30

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
XLTQT	-EA	1 Quart	8.19	11.19
XLTQT	-CA	12 Quarts	93.60	131.30
XLT1G	-EA	1 Gallon	32.09	43.29
XLT1G	-CA	4 Gallons	122.05	171.15


○ XL 10W-40

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
XLOQT	-EA	1 Quart	8.19	11.19
XLOQT	-CA	12 Quarts	93.60	131.30
XLO1G	-EA	1 Gallon	32.09	43.29
XLO1G	-CA	4 Gallons	122.05	171.15

¹vs. AMSOIL OE Motor Oil

OE Protects Against Wear

Provides **47 percent** more wear protection.⁶



⁶Based on independent testing of OE 0W-20 in the Peugeot TU3M Wear Test as required by the dexos1 Gen 2 specification.





OE Synthetic Motor Oil

Delivers 100% synthetic engine protection for advanced automotive technology, including turbos and direct injection. Specifically formulated for the longer drain intervals recommended by original equipment (OE) manufacturers.

● OE 0W-16

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
OESQT	-EA	1 Quart	6.19	8.69
OESQT	-CA	12 Quarts	70.15	101.15

● OE 0W-20

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
OEZQT	-EA	1 Quart	6.19	8.69
OEZQT	-CA	12 Quarts	70.15	101.15
OEZ1G	-EA	1 Gallon	24.19	33.59
OEZ1G	-CA	4 Gallons	92.10	132.50

● OE 5W-20

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
OEMQT	-EA	1 Quart	6.19	8.69
OEMQT	-CA	12 Quarts	70.15	101.15
OEM1G	-EA	1 Gallon	24.19	33.59
OEM1G	-CA	4 Gallons	92.10	132.50

● OE 5W-30

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
OEFQT	-EA	1 Quart	6.19	8.69
OEFQT	-CA	12 Quarts	70.20	101.15
OEF1G	-EA	1 Gallon	24.19	33.59
OEF1G	-CA	4 Gallons	92.10	132.50

● OE 10W-30

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
OETQT	-EA	1 Quart	6.19	8.69
OETQT	-CA	12 Quarts	70.15	101.15



My car runs smooth, the spark plugs look clean, and I actually save money by the longer oil change intervals. I didn't expect the improved mpg that resulted as well. I now use AMSOIL products in all my cars and I couldn't be happier.

– **Mike**

Federal Way, Wash.

European

European performance and styling define a culture of exceptional engineering. AMSOIL matches that devotion to precision by engineering oil that exceeds the demands of your European vehicle. When excellence is required, you need AMSOIL.

AMSOIL Synthetic European Motor Oil provides premium protection, outstanding cleanliness, minimum exhaust emissions and all-season performance.

- **Emissions** system protection
- **Outstanding** all-season performance
- **Excellent** for turbochargers





AFL



AEL



EFO



EFM



AFE



EZT



Synthetic European Motor Oil

Provides exceptional performance and protection for gasoline, diesel and hybrid European vehicles.

● 5W-30 LS¹³

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AELQT	-EA	1 Quart	11.59	15.29
AELQT	-CA	12 Quarts	131.70	180.25
AEL1G	-EA	1 Gallon	45.39	59.59
AEL1G	-CA	4 Gallons	172.85	236.40

● 5W-40 MS

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AFLQT	-EA	1 Quart	9.79	13.09
AFLQT	-CA	12 Quarts	111.80	154.70
AFL1G	-EA	1 Gallon	38.49	51.09
AFL1G	-CA	4 Gallons	146.55	202.55

● 0W-40 FS

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
EFOQT	-EA	1 Quart	9.49	12.59
EFOQT	-CA	12 Quarts	107.90	149.60

● 5W-40 FS¹³

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
EFMQT	-EA	1 Quart	7.39	10.19
EFMQT	-CA	12 Quarts	84.15	119.15
EFM1G	-EA	1 Gallon	29.09	39.59
EFM1G	-CA	4 Gallons	110.50	156.25

● 0W-20 LS

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AFEQT	-EA	1 Quart	9.19	12.29
AFEQT	-CA	12 Quarts	104.90	145.80

● 0W-20 LS-VW

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
EZTQT	-EA	1 Quart	9.89	13.09
EZTQT	-CA	12 Quarts	112.50	155.45

¹³See page 39 for Proposition 65 information for this product.



I've used the product in my 2008 Dodge Ram 2500 since the first oil change. I currently have 147,000 miles on it and it doesn't burn a drop of oil, runs smooth and has a ton of power. I think AMSOIL is going to give me that quarter-million mile mark.

— **Mark**
Las Vegas

Diesel

We engineer our synthetic diesel oils with the same passion and pride you put into your diesel, providing protection you can depend on in the most severe operating conditions. Your investment deserves a diesel oil that's up to the challenge. Your investment deserves AMSOIL.

- **Excellent** wear protection
- **Reduced** oil consumption
- **Excels** in extreme temperatures



How Do AMSOIL Products Stand Up?

Diesel Vehicles


MORE BUILT-IN PROTECTION

Detroit Diesel*, a leader in diesel engine technology, sets a standard for measuring cylinder liner and ring wear with its DD13 Scuffing Test for the DFS 93K222 specification. The test simulates real-world use with a modified Detroit Diesel DD13 diesel engine. Cylinder liner scuffing and top ring wear are measured and used oil analysis is performed to determine wear levels during the test.

Independent testing shows **AMSOIL Heavy-Duty Synthetic Diesel Oil delivers 4X more protection against wear than required by Detroit Diesel's standard¹**. For even greater protection, **Signature Series Max-Duty Synthetic Diesel Oil provides 6X more wear protection than required by the standard²**.

¹Based on independent testing in the Detroit Diesel DD13 Scuffing Test for specification DFS 93K222 using 10W-30 as worst-case representation.

²Based on independent testing in the Detroit Diesel DD13 Scuffing Test for specification DFS 93K222 using 5W-30 as worst-case representation.





Keeps Turbos Clean


AMSOIL Signature Series Max-Duty Synthetic Diesel Oil provides protection boosted to the max, delivering up to **60% better turbo cleanliness^d** and withstanding the extra demands you place on the turbo when pulling heavy loads or updating the tune for maximum horsepower.

^dBased on specification standards of CAT C13 2nd Ring Top Land Carbon testing.

Protects Against Rust

Provides up to **2X better rust protection.^k**


Test results describe and represent properties of oils that were acquired on the dates listed in Table 1 (see www.amsoil.com/rusttest.aspx). Results do not apply to any subsequent reformulations of such oils or to new oils introduced after completion of testing. All oils were available to consumers at the time of purchase. Testing was completed in November 2017.



^kBased on industry standard testing using the NMMA FC-W Rust Test.

Reduces Oil Consumption

Heavy-Duty Synthetic Diesel Oil provides up to **66% less** oil consumption, while Signature Series Max-Duty Synthetic Diesel Oil provides up to **76% less** oil consumption.^l



^lThan required by the API CK-4 standard in the Caterpillar-1N oil consumption test.

Signature Series Max-Duty Synthetic Diesel Oil

The top tier of AMSOIL protection and performance for diesel engines. Provides 6X more engine protection.*

5W-30

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
DHDQT	-EA	1 Quart	9.99	13.29
DHDQT	-CA	12 Quarts	113.55	156.95
DHD1G	-EA	1 Gallon	39.09	51.89
DHD1G	-CA	4 Gallons	148.85	205.55
DHDTP	-EA	(1) 2.5-Gallon	96.60	126.35
DHDTP	-CA	(2) 2.5-Gallons	184.00	250.65

10W-30

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
DTT1G	-EA	1 Quart	37.49	49.89
DTT1G	-CA	12 Quarts	142.80	197.80
DTTTP	-EA	(1) 2.5-Gallon	92.60	121.45
DTTTP	-CA	(2) 2.5-Gallons	176.35	240.85

0W-40

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
DZFQT	-EA	1 Quart	9.89	13.09
DZFQT	-CA	12 Quarts	112.45	155.45
DZF1G	-EA	1 Gallon	38.69	51.39
DZF1G	-CA	4 Gallons	147.40	203.60

5W-40

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
DEOQT	-EA	1 Quart	9.79	13.09
DEOQT	-CA	12 Quarts	111.20	153.95
DEO1G	-EA	1 Gallon	38.29	50.89
DEO1G	-CA	4 Gallons	145.70	201.55
DEOTP	-EA	(1) 2.5-Gallon	94.55	123.90
DEOTP	-CA	(2) 2.5-Gallons	180.05	245.70

15W-40

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
DMEQT	-EA	1 Quart	9.59	12.79
DMEQT	-CA	12 Quarts	109.00	151.20
DME1G	-EA	1 Gallon	37.49	49.89
DME1G	-CA	4 Gallons	142.80	197.85
DMETP	-EA	(1) 2.5-Gallon	92.60	121.60
DMETP	-CA	(2) 2.5-Gallons	176.35	241.20

Heavy-Duty Synthetic Diesel Oil

Outstanding protection and performance for customers seeking an upgrade over conventional and other synthetic diesel oils. Provides 4X more engine protection.**

10W-30

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ADNQT	-EA	1 Quart	6.59	9.19
ADNQT	-CA	12 Quarts	75.35	107.95
ADN1G	-EA	1 Gallon	25.99	35.79
ADN1G	-CA	4 Gallons	98.80	141.30
ADNTP	-EA	(1) 2.5-Gallon	63.75	86.75
ADNTP	-CA	(2) 2.5-Gallons	121.40	171.45

5W-40

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ADOQT	-EA	1 Quart	6.89	9.49
ADOQT	-CA	12 Quarts	78.35	111.75
ADO1G	-EA	1 Gallon	26.99	37.09
ADO1G	-CA	4 Gallons	102.80	146.35
ADOTP	-EA	(1) 2.5-Gallon	66.40	89.90
ADOTP	-CA	(2) 2.5-Gallons	126.40	177.75

15W-40

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ADPQT	-EA	1 Quart	6.59	9.19
ADPQT	-CA	12 Quarts	75.35	108.00
ADP1G	-EA	1 Gallon	25.99	35.79
ADP1G	-CA	4 Gallons	98.80	141.40
ADPTP	-EA	(1) 2.5-Gallon	63.75	86.80
ADPTP	-CA	(2) 2.5-Gallons	121.40	171.55



*Based on independent testing in the Detroit Diesel DD13 Scuffing Test for specification DFS 93K222 using 10W-30 as worst-case representation.

**Based on independent testing in the Detroit Diesel DD13 Scuffing Test for specification DFS 93K222 using 5W-30 as worst-case representation.

Like Series 3000?
Try Signature Series
Max-Duty 5W-30 for
a serious upgrade.
See page 22.

HDD



AMSOIL CI-4+ Synthetic Diesel Oils

Provides outstanding protection for diesel applications not equipped with diesel particulate filters (DPFs) where extra TBN is desired for long service intervals.

● Series 3000 5W-30 Synthetic Heavy Duty Diesel Oil

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
HDDQT	-EA	1 Quart	10.79	14.29
HDDQT	-CA	12 Quarts	122.85	168.95
HDD1G	-EA	1 Gallon	42.39	55.89
HDD1G	-CA	4 Gallons	161.25	221.55
HDDTP	-EA	(1) 2.5-Gallon	104.75	136.20
HDDTP	-CA	(2) 2.5-Gallons	199.45	270.30

AME



● 15W-40 Synthetic Heavy Duty Diesel and Marine Oil

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AMEQT	-EA	1 Quart	9.99	13.39
AMEQT	-CA	12 Quarts	114.10	157.85
AME1G	-EA	1 Gallon	39.29	52.09
AME1G	-CA	4 Gallons	149.65	206.75
AMETP	-EA	(1) 2.5-Gallon	97.10	127.10
AMETP	-CA	(2) 2.5-Gallons	184.95	252.10

DP020



100% Synthetic Diesel Oil

Outstanding protection for smaller American diesel pickups, vans, cars and SUVs.

● 0W-20

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
DP020QT	-EA	1 Quart	8.49	11.39
DP020QT	-CA	12 Quarts	96.40	134.85

● 5W-30

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
DP530QT	-EA	1 Quart	8.39	11.39
DP530QT	-CA	12 Quarts	95.95	134.30

DP530



Premium Protection Synthetic Motor Oil

Ideal for gasoline engines and diesel applications not equipped with diesel particulate filters (DPF), where the extra protection of a high-zinc formula is desired.

● 10W-40

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AMOQT	-EA	1 Quart	10.09	13.39
AMOQT	-CA	12 Quarts	114.55	158.35
AMO1G	-EA	1 Gallon	39.49	52.29
AMO1G	-CA	4 Gallons	150.20	207.45
AMOTP	-EA	(1) 2.5-Gallon	97.50	127.50
AMOTP	-CA	(2) 2.5-Gallons	185.65	252.90

AMO



● 20W-50

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AROQT	-EA	1 Quart	10.09	13.39
AROQT	-CA	12 Quarts	114.60	158.55
ARO1G	-EA	1 Gallon	39.49	52.49
ARO1G	-CA	4 Gallons	150.30	207.75


ARO



Oil Analyzers

AMSOIL offers oil analysis service options from Oil Analyzers Inc.® By analyzing used engine oil, a qualified lab can detect mechanical problems your equipment may have developed. For more information, visit www.oiltesting.com.

STOCK#	PKG./SIZE	P.C. PRICE	FULL PRICE
KIT01	1 sample kit (includes two-way postage) - U.S.	28.35	34.00
KIT02	1 sample kit (includes UPS shipping) - U.S.	28.35	33.90
KIT06	1 sample kit - U.S.	20.50	24.60
KIT14	1 value sample kit - U.S.	15.70	19.15
G1206	Oil Suction Pump w/10-ft. hose	26.25	28.90
G1571	Replacement Hose 25-ft.	8.35	9.20



I have a 1971 Chevrolet C10 350 and a 1967 Chevrolet El Camino 283 – both are flat-tappet cam engines. Z-ROD, with the added zinc, gives them the protection they need so I don't have to worry about wiping a cam.

– Randy
Rockville, Md.

Classic

There's a reason they're called classics. These legendary cars had horsepower to spare, and styling to accompany it. It's only right to pair them with lubricants designed to help you put all that power on the pavement.

AMSOIL delivers synthetic lubricants specially designed to provide maximum horsepower and advanced protection in classic cars. With unique, high-end formulations and proprietary rust and corrosion protection, AMSOIL provides the precision performance your classic car deserves.

- **High-zinc** formula
- **Performs** on the street & protects during storage
- **Withstands** extreme heat







Z-ROD® Synthetic Motor Oil

High-zinc, high-phosphorus formulation engineered specifically for classic cars and performance vehicles.

● 10W-30

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ZRTQT	-EA	1 Quart	9.89	13.19
ZRTQT	-CA	12 Quarts	112.95	156.30

● 10W-40

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ZRDQT	-EA	1 Quart	9.89	13.19
ZRDQT	-CA	12 Quarts	112.95	156.35

● 20W-50

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ZRFQT	-EA	1 Quart	10.29	13.69
ZRFQT	-CA	12 Quarts	117.05	161.75

Assembly Lube¹⁷

Formulated to cling to engine parts and provide exceptional wear protection in newly built or rebuilt high-performance, racing and other four-stroke engines.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
EALTB	-EA	(1) 4-oz. Tube	7.69	9.89
EALTB	-CA	(12) 4-oz. Tubes	87.95	117.35

● Break-In Oil¹⁷

Allows for quick and efficient piston ring seating in new and rebuilt high-performance and racing engines.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
BRKQT	-EA	1 Quart	7.59	10.29
BRKQT	-CA	12 Quarts	85.75	121.50

¹⁷See page 39 for Proposition 65 information for this product.



Performance and Protection
AMSOIL transmission fluids are designed to keep your vehicle's drivetrain **performing the way it should** with smooth shifting, no slipping or shudder and dependable torque transfer.

Signature Series Synthetic ATF

Provides reserve protection in fleet vehicles, heavy-duty pickups, work trucks and other severe-service applications that quickly break down other lubricants.

● Multi-Vehicle¹⁷

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ATFQT	-EA	1 Quart	12.39	16.19
ATFQT	-CA	12 Quarts	141.00	192.15
ATFPK	-EA	1 Quart Easy-Pack	13.89	18.09
ATFPK	-CA	12 Quart Easy-Packs	158.70	214.95
ATF1G	-EA	1 Gallon	48.69	63.59
ATF1G	-CA	4 Gallons	185.45	252.50
ATFTP	-EA	(1) 2.5-Gallon	120.65	155.25
ATFTP	-CA	(2) 2.5-Gallons	229.75	308.45

● Fuel-Efficient¹⁷

Provides the same benefits as AMSOIL Multi-Vehicle Synthetic Automatic Transmission Fluid in a fuel-efficient formulation engineered to exceed the requirements of GM*, Ford*, Toyota* and other original equipment manufacturers (OEMs) where low-viscosity oil is required.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ATLQT	-EA	1 Quart	12.29	16.09
ATLQT	-CA	12 Quarts	140.15	191.00
ATLPK	-EA	1 Quart Easy-Pack	13.99	18.09
ATLPK	-CA	12 Quart Easy-Packs	159.10	215.35
ATL1G	-EA	1 Gallon	48.39	63.19
ATL1G	-CA	4 Gallons	184.35	251.00
ATLTP	-EA	(1) 2.5-Gallon	119.90	154.30
ATLTP	-CA	(2) 2.5-Gallons	228.35	306.55

OE Synthetic ATF

Resists wear and provides smooth shifts in passenger car/light truck automatic transmissions.

● Multi-Vehicle¹⁷

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
OTFQT	-EA	1 Quart	7.69	10.59
OTFQT	-CA	12 Quarts	87.85	123.90
OTF1G	-EA	1 Gallon	30.39	41.19
OTF1G	-CA	4 Gallons	115.45	162.60
OTFTP	-EA	(1) 2.5-Gallon	74.70	99.90
OTFTP	-CA	(2) 2.5-Gallons	142.20	197.70

● Fuel-Efficient¹⁷

Provides the same benefits as AMSOIL OE Multi-Vehicle Synthetic Automatic Transmission Fluid in a fuel-efficient formulation engineered to exceed the requirements of GM, Ford, Toyota and other original equipment manufacturers (OEMs) where low-viscosity oil is required.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
OTLQT	-EA	1 Quart	7.79	10.59
OTLQT	-CA	12 Quarts	88.45	124.65
OTL1G	-EA	1 Gallon	30.59	41.39
OTL1G	-CA	4 Gallons	116.25	163.55
OTLTP	-EA	(1) 2.5-Gallon	75.20	100.50
OTLTP	-CA	(2) 2.5-Gallons	143.20	198.90

○ Synthetic CVT Fluid

Provides outstanding protection and performance for continuously variable transmissions (CVT) throughout original equipment manufacturer (OEM)-recommended drain intervals.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
CVTQT	-EA	1 Quart	11.39	15.49
CVTQT	-CA	12 Quarts	129.45	183.55
CVT1G	-EA	1 Gallon	44.69	60.69
CVT1G	-CA	4 Gallons	170.05	240.90

¹⁷See page 39 for Proposition 65 information for this product.

DCT



● 100% Synthetic DCT Fluid

Designed to protect high-tech dual-clutch transmissions during the most intense, high-heat operating conditions.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
DCTQT	-EA	1 Quart	17.59	24.09
DCTQT	-CA	12 Quarts	200.20	287.40

MTG



○ Synthetic Manual Transmission and Transaxle Gear Lube¹⁵

Provides improved internal component protection.

Formulated with extreme-pressure additives and advanced frictional qualities that provide smooth shifts while protecting gears, bearings and seals. Non-corrosive to yellow metals.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
MTGQT	-EA	1 Quart	14.99	19.29
MTGQT	-CA	12 Quarts	170.60	230.20
MTGPK	-EA	1 Quart Easy-Pack	16.59	21.29
MTGPK	-CA	12 Quart Easy-Packs	189.10	254.05
MTG05	-EA	(1) 5-gal. Pail	279.05	370.95
MTG55	-EA	55-gal. Drum	2,910.35	3,603.30

MTF



● Synthetic Synchronesh Transmission Fluid

Specifically designed to deliver smooth shifts and superior wear protection in manual transmissions and transaxles with synchronizers.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
MTFQT	-EA	1 Quart	13.29	17.39
MTFQT	-CA	12 Quarts	151.50	205.95
MTF05	-EA	(1) 5-gal. Pail	247.25	331.10
MTF55	-EA	55-gal. Drum	2,560.70	3,197.95

ADA



● Slip Lock[®] Differential Additive²¹

Designed to eliminate gear-housing chatter in cars, trucks and SUVs equipped with limited-slip differentials.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ADATB	-EA	(1) 4-oz. Tube	7.99	10.19
ADATB	-CA	(12) 4-oz. Tubes	90.90	121.25

Tough-to-reach fill hole?

Order a flexible pour spout with your oil to make the job easier. Fits quarts and gallons.

STOCK#	P.C. PRICE	FULL PRICE
G1230	0.80	0.90

¹⁵See page 39 for Proposition 65 information for this product.

SVG



AGL



SVT



SVO



SEVERE GEAR® Synthetic Gear Lube

Specifically engineered for high-demand applications, including trailer towing, heavy hauling, 4x4 off-road driving, commercial use and racing. Flexible easy-pack helps you access tough-to-reach fill holes and eliminates the need for a pump.

● 75W-90

Top fuel efficiency and cold-temperature performance

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
SVGQT	-EA	1 Quart	14.79	19.19
SVGQT	-CA	12 Quarts	168.65	227.85
SVGPK	-EA	1 Quart Easy-Pack	14.79	19.19
SVGPK	-CA	12 Quart Easy-Packs	168.65	227.85
SVG05	-EA	(1) 5-gal. Pail	266.60	355.45

● 80W-90

Excellent extreme-temperature performance and wear protection

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AGLQT	-EA	1 Quart	10.89	14.49
AGLOT	-CA	12 Quarts	124.40	171.15
AGLPK	-EA	1 Quart Easy-Pack	12.49	16.39
AGLPK	-CA	12 Quart Easy-Packs	142.75	194.80
AGL05	-EA	(1) 5-gal. Pail	192.85	262.40

● 75W-110


Extra viscosity protection without sacrificing fuel efficiency

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
SVTQT	-EA	1 Quart	14.89	19.39
SVTQT	-CA	12 Quarts	169.90	229.55
SVTPK	-EA	1 Quart Easy-Pack	16.59	21.39
SVTPK	-CA	12 Quart Easy-Packs	189.35	254.55
SVT05	-EA	(1) 5-gal. Pail	268.75	358.20

● 75W-140

Maximum viscosity protection for severe-duty applications

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
SVOQT	-EA	1 Quart	16.59	21.39
SVOQT	-CA	12 Quarts	188.70	253.70
SVOPK	-EA	1 Quart Easy-Pack	16.59	21.39
SVOPK	-CA	12 Quart Easy-Packs	188.70	253.70
SVO05	-EA	(1) 5-gal. Pail	300.00	397.80



G3721

FloTool Flexible Pour Spout

Flexible spout conveniently attaches to the AMSOIL Easy-Pack, quart, and gallon packages and is designed to improve accessibility to hard-to-reach fill ports.

STOCK#	P.C. PRICE	FULL PRICE
G3721	4.20	4.65


Oil Filters

AMSOIL Oil Filters rank among the highest efficiency filters available to the auto/light-truck and powersports markets, providing a filtering efficiency of 99 percent at 20 microns. Featuring advanced full-synthetic technology, AMSOIL Oil Filters provide greater efficiency, capacity and durability than cellulose filters, extending engine and filter life and reducing engine wear. Easy-grip coating eases the job of tightening and loosening filters. Note: Change oil filter at every oil change. Call 1-800-777-7094 (Monday-Friday, 7 a.m.- 7 p.m. Central Time) or look up your vehicle at AMSOIL.com to determine the appropriate filter for each application.



99% Efficiency at 20 Microns

Filtering particles >20 microns fights engine wear.^{AA}



^{AA}In accordance with industry-standard ISO SO 4548-12.

Oil Filters

STOCK#	UNITS	P.C. PRICE	FULL PRICE
EA15K01	-EA	17.60	22.30
EA15K02	-EA	17.85	22.60
EA15K03	-EA	16.45	20.85
EA15K04	-EA	17.10	21.65
EA15K05	-EA	16.55	20.90
EA15K06	-EA	14.45	18.30
EA15K07	-EA	12.35	15.65
EA15K08	-EA	18.15	23.05
EA15K09	-EA	16.40	21.00
EA011	-EA	15.25	19.60
EA15K12	-EA	14.85	18.90
EA15K13	-EA	15.55	19.90
EA015	-EA	16.30	21.05
EA15K16	-EA	15.50	19.65
EA017	-EA	15.00	19.30
EA15K19	-EA	15.50	19.95
EA15K20	-EA	16.30	20.80
EA023	-EA	15.25	19.55
EA024	-EA	16.45	21.25
EA026	-EA	17.85	23.05
EA15K28	-EA	16.30	20.90
EA15K29	-EA	15.75	20.20
EA15K32	-EA	15.50	19.90

STOCK#	UNITS	P.C. PRICE	FULL PRICE
EA034	-EA	16.20	20.75
EA15K35	-EA	15.50	19.60
EA15K37	-EA	13.40	17.30
EA15K38	-EA	13.65	17.20
EA15K39	-EA	20.75	26.55
EA042	-EA	15.75	20.30
EA15K43	-EA	17.60	22.25
EA15K49	-EA	23.65	30.20
EA15K50	-EA	14.40	18.50
EA15K51	-EA	14.85	19.05
EA052	-EA	16.40	21.15
EA15K53	-EA	15.25	19.60
EA15K54	-EA	19.95	25.55
EA055	-EA	26.25	33.35
EA059	-EA	15.95	20.45
EA064	-EA	15.15	19.40
EA080	-EA	17.45	22.55
EA15K88	-EA	32.05	40.40
EA098	-EA	28.35	36.40
EA099	-EA	29.40	37.90

EAHD

EABP



Heavy-Duty Extended-Life Oil Filters

Provide excellent 99 percent filtering efficiency and high contaminant capacity for heavy-duty on- and off-road diesel and gasoline applications. Provide extended service intervals that coincide with the maximum drain intervals of AMSOIL synthetic motor oils. Note: Change oil filter at every oil change.

Bypass Filters

High-efficiency bypass filters effectively remove minute dirt particles and soot. Provides an efficiency rating of 99 percent down to two microns.

AST



API



UCL



GSP



GLC3P



GLCGN



GLC



Gasoline Stabilizer¹³

Helps prevent the formation of varnish and sludge in stored seasonal equipment such as snowmobiles, lawnmowers, motorcycles and boats. One oz. treats 2.5 gallons of gasoline.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ASTCN	-EA	(1) 16-oz. Bottle	10.29	13.59
ASTCN	-CA	(6) 16-oz. Bottles	58.75	80.40


P.i.^{® 13}

Maximizes fuel economy and reduces emissions in gasoline direct-injected and port-fuel-injected engines. Cleans stubborn, power-robbing deposits from injectors, valves and the combustion chamber. Add entire bottle to tank at fill-up.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
APICN	-EA	(1) 12-oz. Bottle	11.19	14.49
APICN	-CA	(12) 12-oz. Bottles	127.15	172.15

AMSOIL Restores Horsepower

AMSOIL P.i.[®] restores up to 14% horsepower.^{NN}



^{NN}Based on third-party testing in a 2016 Chevrolet Silverado[®] 1500, 5.3L V-8 GDI with 100,616 miles, using one tank treated with AMSOIL P.i.[®]. Actual results may vary.

Upper Cylinder Lubricant Gasoline Additive¹³

Lubricates fuel system and upper cylinders. Fights ethanol-related corrosion. Helps keep injectors clean. Bottle compatible with capless fuel systems. Use entire bottle at every fill-up.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
UCLCN	-EA	(1) 6-oz. Bottle	3.99	5.19
UCLCN	-CA	(12) 6-oz. Bottles	44.80	61.90

Spray Grease

Applies quickly and evenly and is ideal for greasing hard-to-reach equipment, including hinges, springs, industrial chains, latches, slides, winches and other common applications.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
GSPSC	-EA	(1) 10-oz. Spray Can	7.59	9.89
GSPSC	-CA	(12) 10-oz. Spray Cans	86.50	116.65

Synthetic Multi-Purpose Grease

Delivers premium wear protection for bearings, bushings, chassis lubrication and other applications.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
GLCCR	-EA	(1) 14-oz. Cartridge	7.39	10.29
GLCCR	-CA	(10) 14-oz. Cartridges	71.05	97.85
GLC3P	-EA	(3) 3-oz. Cartridges	8.89	11.99
GLC3P	-CA	(30) 3-oz. Cartridges	84.35	113.40
GLCGN	-EA	Grease Gun Kit	30.55	41.30

¹³ See page 39 for Proposition 65 information for this product.

Independent testing reveals AMSOIL Diesel All-In-One (ADB) provides as much as 32°F better protection against cold-temperature gelling than Howes Lubricator Diesel Treat. Plus, AMSOIL Diesel All-In-One boosts cetane by up to 4 points.¹



- **Cleans** dirty injectors to help restore horsepower and improve fuel economy



- **Lubricates** fuel pump and injectors to reduce wear



- **Fights** gelling in cold weather, enhancing fuel flow and helping prevent fuel-filter plugging



- **Increases** cetane up to 4 points for maximum horsepower, increased fuel economy and easier starts




¹Based on independent testing in July 2017 of AMSOIL Diesel All-In-One and Howes Lubricator Diesel Treat using diesel fuel representative of the U.S. marketplace and Howes' recommended treat ratio for above 0°F.




Cold Filter-Plugging Point (CFPP)

(The lower the number, the better.)




Cetane

(The higher the number, the better.)



Lubricity Improvement

(The lower the number, the better.)



The ASTM D975 diesel fuel standard specifies a wear scar below 520 µm in ASTM D6079 testing, while the Engine Manufacturers Association (EMA) specifies a wear scar below 460 µm. Testing reveals AMSOIL Diesel All-In-One provides significant lubricity improvement in diesel fuels found across the U.S., delivering exceptional wear protection.

ACB



Diesel Cetane Boost

Raises the cetane number of diesel fuel up to eight points for maximum horsepower, increased fuel economy and easier starts in all diesel engines. One ounce treats up to 10 gallons of fuel.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ACBCN	-EA	(1) 16-oz. Bottle	7.79	10.39
ACBCN	-CA	(12) 16-oz. Bottles	88.65	123.30
ACBHG	-EA	(1) 64-oz. Bottle	25.59	33.59
ACBHG	-CA	(6) 64-oz. Bottles	145.80	199.65
ACB05	-EA	(1) 5-gal. Pail	219.80	297.80

ADF



Diesel Injector Clean¹⁹

Targets traditional nozzle deposits, combustion chamber deposits and internal diesel injector deposits found in HPCR injectors. Lubricates to reduce fuel pump and injector wear. Concentrated for rapid results, maximum horsepower and up to 8 percent increased fuel economy in engines with accumulated deposits. One ounce treats up to 5 gallons of fuel.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ADFPNCN	-EA	(1) 8-oz. Bottle	3.99	5.49
ADFPNCN	-CA	(6) 8-oz. Bottles	22.45	32.10
ADFCN	-EA	(1) 16-oz. Bottle	6.99	9.39
ADFCN	-CA	(12) 16-oz. Bottles	79.80	111.25
ADFHG	-EA	(1) 64-oz. Bottle	23.39	30.69
ADFHG	-CA	(6) 64-oz. Bottles	133.30	182.75
ADF05	-EA	(1) 5-gal. Pail	195.90	266.35

ADS



Diesel Injector Clean + Cetane Boost²¹

Combines the superior detergency and improved lubricity of Diesel Injector Clean and the increased horsepower and cetane of Cetane Boost in one convenient package. One ounce treats up to 5 gallons of fuel.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ADSPNCN	-EA	(1) 8-oz. Bottle	4.19	5.69
ADSPNCN	-CA	(6) 8-oz. Bottles	24.00	33.50
ADSCN	-EA	(1) 16-oz. Bottle	10.79	14.09
ADSCN	-CA	(12) 16-oz. Bottles	122.65	167.80
ADSHG	-EA	(1) 64-oz. Bottle	35.49	45.59
ADSHG	-CA	(6) 64-oz. Bottles	202.35	271.95
ADS05	-EA	(1) 5-gal. Pail	309.35	410.80

ADD



Diesel Cold Flow¹⁷

Effectively modifies wax crystal formation at low temperatures to depress diesel fuel pour point and improve cold-flow filtration properties. Lowers the CFPP by up to 40°F (22°C) in ULSD. One ounce treats up to 5 gallons of fuel.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ADDCN	-EA	(1) 16-oz. Bottle	7.79	10.39
ADDCN	-CA	(12) 16-oz. Bottles	88.85	123.15
ADD05	-EA	(1) 5-gal. Pail	226.10	304.60

ADB



Diesel All-In-One²⁵

Combines the superior detergency and improved lubricity of Diesel Injector Clean, the excellent cold-flow and anti-gelling properties of Diesel Cold Flow and the increased horsepower and cetane of Cetane Boost in one convenient package. One ounce treats up to 2.5 gallons of fuel.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ADBPNCN	-EA	(1) 8-oz. Bottle	4.99	6.79
ADBPNCN	-CA	(6) 8-oz. Bottles	28.25	39.80
ADBCN	-EA	(1) 16-oz. Bottle	8.89	11.79
ADBCN	-CA	(12) 16-oz. Bottles	101.70	140.10
ADBHG	-EA	(1) 64-oz. Bottle	30.99	40.19
ADBHG	-CA	(6) 64-oz. Bottles	177.10	239.25
ADB05	-EA	(1) 5-gal. Pail	268.90	359.05

DRC



FOG



APF



ADG



ALS



BPC



BFLV



Diesel Recovery²¹

Emergency diesel fuel treatment that dissolves the wax crystals that form when diesel fuel has surpassed its cloud point. One ounce treats 1 gallon of fuel.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
DRCQT	-EA	(1) 30-oz. Bottle	11.59	15.19
DRCQT	-CA	(12) 30-oz. Bottles	132.50	180.95

Engine Fogging Oil

Helps prevent corrosion and dry starts to internal engine components found in outboard motors, lawn and garden equipment, motorcycles, snowmobiles, ATVs, motor homes and generators during storage or long periods of inactivity.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
FOGSC	-EA	(1) 12-oz. Aerosol Can	7.99	10.39
FOGSC	-CA	(6) 12-oz. Aerosol Cans	45.30	60.95

Power Foam[®] Engine Cleaner

Improves starting and performance by cleaning dirty intake systems and spark plugs; freeing sticky valves and removing gum, varnish and carbon deposits.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
APFSC	-EA	(1) 18-oz. Spray Can	8.69	11.39
APFSC	-CA	(12) 18-oz. Spray Cans	98.40	134.60

Heavy-Duty Degreaser

Formulated with powerful and fast-acting solvents, attacking petroleum-based grime on a molecular level to loosen its hold on metal, concrete, engines and other surfaces.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ADGSC	-EA	(1) 15-oz. Spray Can	11.39	14.59
ADGSC	-CA	(12) 15-oz. Spray Cans	129.35	173.05

Silicone Spray²⁶

Perfect for lubricating or protecting rubber, nylon, plastics, upholstery, vinyl, wood, cardboard, fiberglass. Also excellent for waterproofing leather products.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ALSSP	-EA	(1) 10-oz. Spray Can	7.79	10.19
ALSSP	-CA	(12) 10-oz. Spray Cans	89.10	119.95

Brake & Parts Cleaner

Professional strength parts cleaner that quickly removes oil, grease, brake fluid and other contaminants from brake parts and other automotive components.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
BPCSC	-EA	(1) 19-oz. Spray Can	4.79	6.59
BPCSC	-CA	(12) 19-oz. Spray Cans	54.55	76.90

DOT 3 & 4 Synthetic Brake Fluid¹¹

Superior high-temperature performance in auto/light-truck and high-performance applications.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
BFLVCN	-EA	(1) 12-oz. Bottle	6.59	8.59
BFLVCN	-CA	(12) 12-oz. Bottles	74.35	101.00

11, 17, 19, 21, 25, 26 See page 39 for Proposition 65 information for this product.

AMP



AMH



FLSH



AMW



AED



AGC



RDCB



MP Metal Protector

Displaces water, penetrates, lubricates and protects metal surfaces from corrosion, including hinges, squeaky mechanical objects, electrical systems and more.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AMP4SC	-EA	(1) 4-oz. Spray Can	4.69	6.09
AMP4SC	-CA	(12) 4-oz. Spray Cans	52.90	70.75
AMP5C	-EA	(1) 8.75-oz. Spray Can	6.09	7.99
AMP5C	-CA	(12) 8.75-oz. Spray Cans	69.70	93.70

Heavy Duty Metal Protector

Penetrates and adheres to metal surfaces, leaving a long-lasting coating that protects against the damaging effects of salt, moisture or chemical corrosion.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AMH5C	-EA	(1) 15-oz. Spray Can	10.19	13.99
AMH5C	-CA	(12) 15-oz. Spray Cans	115.50	166.25

Engine and Transmission Flush

Helps restore operating efficiency, increase fuel economy and reduce emissions in gasoline and diesel engines and automatic transmissions.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
FLSHCN	-EA	(1) 16-oz. Bottle	9.69	12.69
FLSHCN	-CA	(12) 16-oz. Bottles	109.75	150.55
FLSH05	-EA	(1) 5-gal. Pail	297.20	394.55

Miracle Wash®

Unique dry car wash and polish delivers outstanding performance and quick, easy and economical spray application. No water required.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AMWSC	-EA	(1) 13-oz. Spray Can	8.59	11.09
AMWSC	-CA	(12) 13-oz. Spray Cans	97.85	131.20

Engine Degreaser

Effectively cleans engine surfaces by cutting through grease, oil and grime.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AED5C	-EA	(1) 15-oz. Spray Can	7.19	9.39
AED5C	-CA	(12) 15-oz. Spray Cans	81.45	110.10

Glass Cleaner

Cuts through grease and grime faster than other leading glass cleaners, stays where you spray it and leaves no streaks.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AGC5C	-EA	(1) 19-oz. Spray Can	4.09	5.29
AGC5C	-CA	(12) 19-oz. Spray Cans	46.15	61.40

DOMINATOR® Coolant Boost

Helps reduce engine temperatures, increase horsepower, promote faster engine warm-up times and reduce radiator and engine corrosion in racing and passenger vehicles.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
RDCBCN	-EA	(1) 16-oz. Bottle	10.19	13.39
RDCBCN	-CA	(6) 16-oz. Bottles	58.25	79.25

ANTPC



ANT



● Passenger Car/Light Truck Antifreeze & Coolant¹⁵

Engineered to exceed original equipment manufacturer requirements for up to 150,000 miles or 5 years, whichever comes first, in passenger cars and light trucks. Pre-mixed formula.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ANTPC1G	-EA	1 Gallon	15.69	23.99
ANTPC1G	-CA	4 Gallons	59.45	94.35

○ Propylene Glycol Antifreeze & Coolant

Combines the benefits of biodegradability, low toxicity and all-climate protection for up to 150,000 miles or 5 years, whichever comes first, in passenger cars and light trucks. Concentrated formula.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ANT1G	-EA	1 Gallon	30.59	42.49
ANT1G	-CA	4 Gallons	116.55	168.10

● Heavy-Duty Antifreeze & Coolant¹⁵

Provides superior heat transfer and excellent protection against corrosion, cylinder-liner cavitation, freezing and boilover. Protection up to 1,000,000 miles, 20,000 hours or 8 years, whichever comes first. Pre-mixed formula.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ANTHD1G	-EA	1 Gallon	16.89	25.49
ANTHD1G	-CA	4 Gallons	64.15	100.45

Multi-Vehicle Synthetic Power Steering Fluid¹³

Provides excellent wear protection, long component life and quiet operation in most passenger car/light trucks.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
PSCFN	-EA	(1) 16-oz. Bottle	7.19	9.59
PSCFN	-CA	(12) 16-oz. Bottles	82.25	114.20

Fluid Extraction Pump

STOCK#	UNITS	P.C. PRICE	FULL PRICE
G2576	EA	15.75	17.35

Aids in the removal of old fluids when servicing vehicles.

ANTHD



PSF



CALIFORNIA PROPOSITION 65 WARNING STATEMENTS

11 ⚠️ **WARNING:** This product can expose you to 2-Methoxyethanol, which are known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

13 ⚠️ **WARNING:** This product can expose you to Benzene, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

15 ⚠️ **WARNING:** This product can expose you to Ethanedial, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

17 ⚠️ **WARNING:** This product can expose you to Ethylbenzene, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

19 ⚠️ **WARNING:** This product can expose you to Naphthalene, which is known to the State of California to cause cancer, and Methanol which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

21 ⚠️ **WARNING:** This product can expose you to Naphthalene, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

22 ⚠️ **WARNING:** This product can expose you to Titanium dioxide, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

25 ⚠️ **WARNING:** This product can expose you to Ethylbenzene, which is known to the State of California to cause cancer, and Methanol which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

26 ⚠️ **WARNING:** This product can expose you to n-Hexane, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.



ISO 9001/14001 REGISTERED

AMSOIL INC.
One AMSOIL Center
Superior, WI 54880

WE HONOR



(Discover in U.S. only)

Your Servicing **AMSOIL Dealer**

Use this referral number to save time and make ordering easier. Call 1-800-777-7094 or log in at AMSOIL.com. ▼

Referral # **323230**

AMSOIL also offers a full line of premium synthetic lubricants for powersports applications. See your servicing **AMSOIL Dealer** for more information.



Minimum 10%
Post-Consumer Fiber

AMSOIL INC., 925 Tower Ave., Superior, WI 54880 • 715-392-7101 • Printed in the USA
© 2021, AMSOIL INC. All rights reserved. The AMSOIL logo is a registered trademark of AMSOIL INC.

G3549 6/21