

AMSOIL

Automotive



FREE SHIPPING ON ORDERS OF \$130 OR MORE

TO ORDER: 1-800-777-7094 MONDAY – FRIDAY 7 A.M. – 7 P.M. CT | [AMSOIL.ca](https://www.amsoil.ca)

Free Shipping on orders
of \$130 or more.*

**BECOME AN AMSOIL
PREFERRED CUSTOMER FOR
EVEN MORE GREAT BENEFITS:**



Reduced Pricing

Save up to 25 percent
on every order.



Free Shipping



Special Offers

Preferred Customers
receive exclusive
promotions.



Free Swag

Randomly receive free
hats, shirts or other gear
when you place an order.



P.C. Points

Earn points on all
purchases. Every
50 points earned is
redeemable for \$1
off a future order.



Referral Rewards

Refer friends and family
members to the AMSOIL
P.C. Program and receive
500 bonus points when the
referred customer makes a
qualifying purchase.

Sign up at AMSOIL.ca/pc today and
use this referral number. ▼

Referral # _____

**Orders below that threshold pay a flat shipping rate of
\$11.99. Exclusions apply. See the shipping & handling policy
at www.AMSOIL.ca/storefront/shippinginformation.aspx.*





Product Index

Motor Oil	9
European Motor Oil	17
Diesel Oil	22
Classic/Collector Car Motor Oil	27
Transmission Fluid	29
Gear Lube	30
Filters	31
Gasoline Additives	33
Grease	33
Diesel Additives	37
Cleaners and Protectants	39
Coolant and Power Steering Fluid	39



All AMSOIL lubricants and filters are covered by the AMSOIL Limited Warranty. For details visit AMSOIL.ca/warranty.aspx.

All trademarked names and images are the property of their respective owners and may be registered marks in some countries. No affiliation or endorsement claim, express or implied, is made by their use.

Automotive

AMSOIL synthetic motor oils are crafted in the lab using ultra-premium base oils and additives. We don't fool around with conventional refining techniques or low-grade chemicals that leave performance to chance. We design lubricants to precise requirements and the highest performance standards so you can be confident that your vehicle is protected.

- **Industry**-leading performance and protection
- **Engineered** for advanced automotive technology like turbos and direct injection
- **Reserve** protection that allows you to go longer between oil changes if you choose





Signature Series Protects Against LSPI

AMSOIL Synthetic Motor Oils achieved **100% protection** against LSPI.^B



^BBased on zero LSPI events in five consecutive tests of AMSOIL Signature Series, XL and OE 5W-30 Motor Oil in the LSPI engine test required by the GM dexos1 Gen 2 specification.

This is a great fully synthetic oil that never disappoints. I love the extended change intervals that I get with this product. I can run this oil for extended drain intervals and not worry one bit.

– **Stephen**
Foxworth, Miss.

How Do AMSOIL Products Stand Up?

Gasoline Vehicles

OUTPERFORMS INDUSTRY STANDARDS

The Sequence IVA Engine Test simulates extended periods of stop-and-go driving – conditions that encourage engine wear. We used Signature Series 0W-20, the lightest viscosity in the line, to further increase the severity of the test. **AMSOIL Signature Series Synthetic Motor Oil provided 75 percent more engine protection against horsepower loss and wear¹ than required by the industry standard**, extending the life of vital components like pistons and cams.

Signature Series Delivers Powerful Protection

AMSOIL delivers powerful protection. How good is it? An independent lab compared AMSOIL synthetic motor oil head-to-head against a leading competitor in a 100,000-mile (160,934 km) test². AMSOIL provided far superior wear protection and kept bearings looking like new.



²Testing conducted in an independent lab using AMSOIL Signature Series 5W-30 Synthetic Motor Oil and a leading synthetic-blend 5W-30 motor oil in Ford F-150 trucks with 3.5L twin-turbo engines.

¹Based on Independent testing of AMSOIL Signature Series 0W-20, in ASTM D6891 as required by the API SN PLUS specification.





Signature Series Guards Turbos

Protects turbochargers **72% better** than required^C by the GM dexos1[®] Gen 2 specification.

^CBased on independent testing of AMSOIL Signature Series 5W-30 in the GM turbo coking test.


Signature Series Cleans

AMSOIL Signature Series Synthetic Motor Oil has **50% more** detergents^D to help keep oil passages clean and promote oil circulation. It provides **90% better protection** against sludge^{DD}.

^Dvs. AMSOIL OE Motor Oil^{DD}Based on independent testing of AMSOIL Signature Series 5W-30 in the ASTM D6593 engine test for oil screen plugging as required by the API SN PLUS specification.

Signature Series Helps Keep Valves Clean

AMSOIL fights volatility^U **38% better** than Mobil 1[®] and **17% better** than Royal Purple[®], helping reduce oil consumption and keep valves clean.



^UBased on independent testing of AMSOIL Signature Series Synthetic 5W-20, Mobil 1[®] Advanced Synthetic 5W-20, Royal Purple[®] High Performance Synthetic 5W-20 in ASTM D5800. Oils purchased Oct.-Nov. 2018.

AMSOIL Helps Keep Engines Cleaner


AMSOIL Signature Series is fortified with a heavy treatment of detergent additives, delivering **28 percent more acid-neutralizing power** than Mobil 1[®] and helping engines stay cleaner, longer.^{LL}

^{LL}Based upon independent testing of Mobil 1[®] Annual Protection Full Synthetic 5W-30 and AMSOIL Signature Series 5W-30 in ASTM D2896. Oils purchased July 2020.



AMSOIL Resists Viscosity Increase

AMSOIL is barely challenged by the industry-standard testing, demonstrating only a 0.1% viscosity increase. Even when the test length is doubled, AMSOIL delivered **twice the viscosity control** required by the standard.^{GG}



^{GG}Based on independent testing of AMSOIL Signature Series 5W-30 in the Sequence IIH Engine Test (ASTM D6111), required by the ILSAC GF-6 and API SP specifications.



ASM



ALM



AZO



ASL



ATM



AZF



AMR



Signature Series Synthetic Motor Oil

Engineered for enthusiasts seeking maximum protection and performance. Precision-formulated with cutting-edge technology and a longstanding devotion to making the world's best motor oil. The result: engine protection that blows the doors off the highest industry standards.

● 0W-20

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ASMQTC	-EA	(1) 946-ml Bottle	13.59	16.79
ASMQTC	-CA	(12) 946-ml Bottles	155.00	199.80
ASM1GC	-EA	(1) 3.78-litre Bottle	52.79	64.99
ASM1GC	-CA	(4) 3.78-litre Bottles	200.80	258.20

● 5W-20

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ALMQTC	-EA	(1) 946-ml Bottle	13.59	16.79
ALMQTC	-CA	(12) 946-ml Bottles	155.00	199.80
ALM1GC	-EA	(1) 3.78-litre Bottle	52.79	64.99
ALM1GC	-CA	(4) 3.78-litre Bottles	200.80	258.20

● 0W-30

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AZQTC	-EA	(1) 946-ml Bottle	13.59	16.79
AZQTC	-CA	(12) 946-ml Bottles	155.00	199.80

● 5W-30

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ASLQTC	-EA	(1) 946-ml Bottle	13.59	16.79
ASLQTC	-CA	(12) 946-ml Bottles	155.00	199.80
ASL1GC	-EA	(1) 3.78-litre Bottle	52.79	64.99
ASL1GC	-CA	(4) 3.78-litre Bottles	200.80	258.20

● 10W-30

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ATMQTC	-EA	(1) 946-ml Bottle	13.59	16.79
ATMQTC	-CA	(12) 946-ml Bottles	155.00	199.80

● 0W-40


STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AZFQTC	-EA	(1) 946-ml Bottle	13.59	16.79
AZFQTC	-CA	(12) 946-ml Bottles	155.00	199.80

○ 5W-50

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AMRQTC	-EA	(1) 946-ml Bottle	13.59	16.79
AMRQTC	-CA	(12) 946-ml Bottles	155.00	199.80

XL Resists Oil Breakdown

Provides **64% more protection** against oil breakdown^F than required by the GM dexos1[®] Gen 2 specification.



^FBased on independent testing of AMSOIL XL 5W-30 motor oil in the GMOD engine test required for the GM dexos1 Gen2 specification.





XL Synthetic Motor Oil

For enthusiasts who want to do something extra for their vehicle. Engineered for advanced automotive technology, including turbos and direct injection. Boosted formulation delivers more cleaning power and wear protection that lasts up to 19,300 kilometers or 1 year, whichever comes first.

● XL 0W-20

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
XLZQTC	-EA	(1) 946-ml Bottle	10.79	13.29
XLZQTC	-CA	(12) 946-ml Bottles	122.85	158.40
XLZ1GC	-EA	(1) 3.78-litre Bottle	42.09	51.89
XLZ1GC	-CA	(4) 3.78-litre Bottles	160.05	205.80

● XL 5W-20

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
XLMQTC	-EA	(1) 946-ml Bottle	10.79	13.29
XLMQTC	-CA	(12) 946-ml Bottles	122.85	158.40
XLM1GC	-EA	(1) 3.78-litre Bottle	42.09	51.89
XLM1GC	-CA	(4) 3.78-litre Bottles	160.05	205.80

● XL 5W-30

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
XLFQTC	-EA	(1) 946-ml Bottle	10.79	13.29
XLFQTC	-CA	(12) 946-ml Bottles	122.85	158.40
XLF1GC	-EA	(1) 3.78-litre Bottle	42.09	51.89
XLF1GC	-CA	(4) 3.78-litre Bottles	160.05	205.80

● XL 10W-30

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
XLTQTC	-EA	(1) 946-ml Bottle	10.79	13.29
XLTQTC	-CA	(12) 946-ml Bottles	122.85	158.40


○ XL 10W-40

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
XLOQT	-EA	(1) 946-ml Bottle	10.79	13.29
XLOQT	-CA	(12) 946-ml Bottles	122.85	158.40

¹vs. AMSOIL OE Motor Oil

OE Protects Against Wear

Provides **47 percent more** wear protection.⁶



⁶Based on independent testing of OE 0W-20 in the Peugeot TU3M Wear Test as required by the dexos1 Gen 2 specification.





OE Synthetic Motor Oil

Delivers 100% synthetic engine protection for advanced automotive technology, including turbos and direct injection. Specifically formulated for the longer drain intervals recommended by original equipment (OE) manufacturers.

● OE 0W-16

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
OESQT	-EA	(1) 946-ml Bottle	8.19	10.09
OESQT	-CA	(12) 946-ml Bottles	92.65	119.40

● OE 0W-20

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
OEZQTC	-EA	(1) 946-ml Bottle	8.19	10.09
OEZQTC	-CA	(12) 946-ml Bottles	92.65	119.40
OEZ1GC	-EA	(1) 3.78-litre Bottle	31.69	39.29
OEZ1GC	-CA	(4) 3.78-litre Bottles	120.75	155.40

● OE 5W-20

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
OEMQTC	-EA	(1) 946-ml Bottle	8.19	10.09
OEMQTC	-CA	(12) 946-ml Bottles	92.65	119.40
OEM1GC	-EA	(1) 3.78-litre Bottle	31.69	39.29
OEM1GC	-CA	(4) 3.78-litre Bottles	120.75	155.40

● OE 5W-30

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
OEFQTC	-EA	(1) 946-ml Bottle	8.19	10.09
OEFQTC	-CA	(12) 946-ml Bottles	92.65	119.40
OEF1GC	-EA	(1) 3.78-litre Bottle	31.69	39.29
OEF1GC	-CA	(4) 3.78-litre Bottles	120.75	155.40

● OE 10W-30

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
OETQTC	-EA	(1) 946-ml Bottle	8.19	10.09
OETQTC	-CA	(12) 946-ml Bottles	92.65	119.40



My car runs smooth, the spark plugs look clean, and I actually save money by the longer oil change intervals. I didn't expect the improved mpg that resulted as well. I now use AMSOIL products in all my cars and I couldn't be happier.

– **Mike**

Federal Way, Wash.

European

European performance and styling define a culture of exceptional engineering. AMSOIL matches that devotion to precision by engineering oil that exceeds the demands of your European vehicle. When excellence is required, you need AMSOIL.

AMSOIL Synthetic European Motor Oil provides premium protection, outstanding cleanliness, minimum exhaust emissions and all-season performance.

- **Emissions** system protection
- **Outstanding** all-season performance
- **Excellent** for turbochargers





AFL



AEL



EFO



EFM



AFE



EZT



Synthetic European Motor Oil

Provides exceptional performance and protection for gasoline, diesel and hybrid European vehicles.

5W-30 LS

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AELQTC	-EA	(1) 946-ml Bottle	14.79	18.19
AELQTC	-CA	(12) 946-ml Bottles	168.25	216.60

5W-40 MS

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AFLQTC	-EA	(1) 946-ml Bottle	12.99	15.99
AFLQTC	-CA	(12) 946-ml Bottles	148.05	190.80
AFL1GC	-EA	(1) 3.78-litre Bottle	50.39	62.09
AFL1GC	-CA	(4) 3.78-litre Bottles	191.75	246.60

0W-40 FS

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
EFOQTC	-EA	(1) 946-ml Bottle	12.09	14.89
EFOQTC	-CA	(12) 946-ml Bottles	138.00	177.60

5W-40 FS

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
EFMQTC	-EA	(1) 946-ml Bottle	9.79	11.99
EFMQTC	-CA	(12) 946-ml Bottles	110.90	142.80
EFM1GC	-EA	(1) 3.78-litre Bottle	37.99	46.99
EFM1GC	-CA	(4) 3.78-litre Bottles	144.70	186.20

0W-20 LS

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AFEQTC	-EA	(1) 946-ml Bottle	12.39	15.29
AFEQTC	-CA	(12) 946-ml Bottles	141.15	181.80

0W-20 LS-VW

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
EZTQT	-EA	(1) 946-ml Bottle	13.19	16.19
EZTQT	-CA	(12) 946-ml Bottles	149.95	193.20



I've used the product in my 2008 Dodge Ram 2500 since the first oil change. I currently have 147,000 miles (236,573 km) on it and it doesn't burn a drop of oil, runs smooth and has a ton of power. I think AMSOIL is going to give me that quarter-million mile mark.

– **Mark**
Las Vegas

Diesel

We engineer our synthetic diesel oils with the same passion and pride you put into your diesel, providing protection you can depend on in the most severe operating conditions. Your investment deserves a diesel oil that's up to the challenge. Your investment deserves AMSOIL.

- **Excellent** wear protection
- **Reduced** oil consumption
- **Excels** in extreme temperatures



How Do AMSOIL Products Stand Up?

Diesel Vehicles


MORE BUILT-IN PROTECTION

Detroit Diesel*, a leader in diesel engine technology, sets a standard for measuring cylinder liner and ring wear with its DD13 Scuffing Test for the DFS 93K222 specification. The test simulates real-world use with a modified Detroit Diesel DD13 diesel engine. Cylinder liner scuffing and top ring wear are measured and used oil analysis is performed to determine wear levels during the test.

Independent testing shows **AMSOIL Heavy-Duty Synthetic Diesel Oil delivers 4X more protection against wear than required by Detroit Diesel's standard¹**. For even greater protection, **Signature Series Max-Duty Synthetic Diesel Oil provides 6X more wear protection than required by the standard²**.

¹Based on independent testing in the Detroit Diesel DD13 Scuffing Test for specification DFS 93K222 using 10W-30 as worst-case representation.

²Based on independent testing in the Detroit Diesel DD13 Scuffing Test for specification DFS 93K222 using 5W-30 as worst-case representation.





Keeps Turbos Clean


AMSOIL Signature Series Max-Duty Synthetic Diesel Oil provides protection boosted to the max, delivering up to **60% better turbo cleanliness^d** and withstanding the extra demands you place on the turbo when pulling heavy loads or updating the tune for maximum horsepower.

^dBased on specification standards of CAT C13 2nd Ring Top Land Carbon testing.

Protects Against Rust

Provides up to **2X better rust protection.^k**


Test results describe and represent properties of oils that were acquired on the dates listed in Table 1 (see www.amsoil.ca/rusttest.aspx). Results do not apply to any subsequent reformulations of such oils or to new oils introduced after completion of testing. All oils were available to consumers at the time of purchase. Testing was completed in November 2017.



^kBased on industry standard testing using the NMMA FC-W Rust Test.

Reduces Oil Consumption

Heavy-Duty Synthetic Diesel Oil provides up to **66% less** oil consumption, while Signature Series Max-Duty Synthetic Diesel Oil provides up to **76% less** oil consumption.^l



^lThan required by the API CK-4 standard in the Caterpillar-1N oil consumption test.

DHD



DTT



DZF



DEO



DME



ADN



ADO



ADP



Signature Series Max-Duty Synthetic Diesel Oil

The top tier of AMSOIL protection and performance for diesel engines. Provides 6X more engine protection.*

5W-30

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
DHDQT	-EA	(1) 946-ml Bottle	13.09	16.19
DHDQT	-CA	(12) 946-ml Bottles	149.35	192.60
DHD1G	-EA	(1) 3.78-litre Bottle	51.29	63.19
DHD1G	-CA	(4) 3.78-litre Bottles	195.10	251.00

10W-30

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
DTT1GC	-EA	(1) 3.78-litre Bottle	49.19	60.59
DTT1GC	-CA	(4) 3.78-litre Bottles	187.15	240.60

0W-40

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
DZFQT	-EA	(1) 946-ml Bottle	12.99	15.99
DZFQT	-CA	(12) 946-ml Bottles	148.05	190.80
DZF1GC	-EA	(1) 3.78-litre Bottle	50.79	62.59
DZF1GC	-CA	(4) 3.78-litre Bottles	193.20	248.60

5W-40

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
DEOQT	-EA	(1) 946-ml Bottle	12.79	15.79
DEOQT	-CA	(12) 946-ml Bottles	146.20	188.40
DEO1GC	-EA	(1) 3.78-litre Bottle	50.09	61.69
DEO1GC	-CA	(4) 3.78-litre Bottles	190.70	245.20
DEOTPC	-EA	(1) 9.45-litre Bottle	123.70	150.20
DEOTPC	-CA	(2) 9.45-litre Bottles	235.55	298.40

15W-40

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
DMEQT	-EA	(1) 946-ml Bottle	12.59	15.49
DMEQT	-CA	(12) 946-ml Bottles	143.65	184.80
DME1GC	-EA	(1) 3.78-litre Bottle	49.19	60.59
DME1GC	-CA	(4) 3.78-litre Bottles	187.15	240.60
DMETPC	-EA	(1) 9.45-litre Bottle	121.20	147.20
DMETPC	-CA	(2) 9.45-litre Bottles	230.80	292.40

Heavy-Duty Synthetic Diesel Oil

Outstanding protection and performance for customers seeking an upgrade over conventional and other synthetic diesel oils. Provides 4X more engine protection.**

10W-30

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ADNQT	-EA	(1) 946-ml Bottle	8.79	10.89
ADNQT	-CA	(12) 946-ml Bottles	100.20	129.00
ADNTPC	-EA	(1) 9.45-litre Bottle	83.65	101.90
ADNTPC	-CA	(2) 9.45-litre Bottles	159.30	201.80

5W-40

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ADOQT	-EA	(1) 946-ml Bottle	9.19	11.39
ADOQT	-CA	(12) 946-ml Bottles	104.60	135.00
ADO1GC	-EA	(1) 3.78-litre Bottle	35.59	43.99
ADO1GC	-CA	(4) 3.78-litre Bottles	135.45	174.20
ADOTPC	-EA	(1) 9.45-litre Bottle	87.40	106.45
ADOTPC	-CA	(2) 9.45-litre Bottles	166.45	210.90

15W-40

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ADPQT	-EA	(1) 946-ml Bottle	8.79	10.89
ADPQT	-CA	(12) 946-ml Bottles	100.20	129.00
ADP1GC	-EA	(1) 3.78-litre Bottle	34.19	42.19
ADP1GC	-CA	(4) 3.78-litre Bottles	130.00	167.20
ADPTPC	-EA	(1) 9.45-litre Bottle	83.60	101.85
ADPTPC	-CA	(2) 9.45-litre Bottles	159.20	201.70

*Based on independent testing in the Detroit Diesel DD13 Scuffing Test for specification DFS 93K222 using 5W-30 as worst-case representation.

**Based on independent testing in the Detroit Diesel DD13 Scuffing Test for specification DFS 93K222 using 10W-30 as worst-case representation.

Like Series 3000?
Try Signature Series
Max-Duty 5W-30 for
a serious upgrade.
See page 22.

HDD



AMSOIL CI-4+ Synthetic Diesel Oils

Provides outstanding protection for diesel applications not equipped with diesel particulate filters (DPFs) where extra TBN is desired for long service intervals.

● Series 3000 5W-30 Synthetic Heavy Duty Diesel Oil

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
HDDQTC	-EA	(1) 946-ml Bottle	14.29	17.59
HDDQTC	-CA	(12) 946-ml Bottles	162.55	209.40
HDD1GC	-EA	(1) 3.78-litre Bottle	55.39	68.19
HDD1GC	-CA	(4) 3.78-litre Bottles	210.85	271.20

● 15W-40 Synthetic Heavy Duty Diesel and Marine Oil

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AMEQTC	-EA	(1) 946-ml Bottle	13.19	16.29
AMEQTC	-CA	(12) 946-ml Bottles	150.60	193.80
AME1GC	-EA	(1) 3.78-litre Bottle	51.49	63.39
AME1GC	-CA	(4) 3.78-litre Bottles	195.95	252.00
AMETPC	-EA	(1) 9.45-litre Bottle	127.05	154.25
AMETPC	-CA	(2) 9.45-litre Bottles	241.95	306.50

100% Synthetic Diesel Oil

Outstanding protection for smaller diesel pickups, vans, cars and SUVs.

● OW-20

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
DP020QTC-EA	(1) 946-ml Bottle		11.39	13.99
DP020QTC-CA	(12) 946-ml Bottles		129.15	166.20

● 5W-30

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
DP530QTC-EA	(1) 946-ml Bottle		11.29	13.89
DP530QTC-CA	(12) 946-ml Bottles		128.55	165.60

Premium Protection Synthetic Motor Oil

Ideal for gasoline engines and diesel applications not equipped with diesel particulate filters (DPF), where the extra protection of a high-zinc formula is desired.

● 10W-40

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AMOQTC	-EA	(1) 946-ml Bottle	13.09	16.19
AMOQTC	-CA	(12) 946-ml Bottles	149.35	192.60

● 20W-50

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AROQTC	-EA	(1) 946-ml Bottle	13.09	16.09
AROQTC	-CA	(12) 946-ml Bottles	149.35	192.00

Oil Analyzers

AMSOIL offers oil analysis service options from Oil Analyzers Inc.® By analyzing used engine oil, a qualified lab can detect mechanical problems your equipment may have developed. For more information, visit www.oiltesting.com.

STOCK#	PKG./SIZE	P.C. PRICE	FULL PRICE
KIT401	OAI UPS Pre-Paid Kit	52.05	62.00
KIT402	OAI Non-Postage-Paid Kit	32.45	38.70
G1206	Oil Suction Pump w/10-ft. hose	34.65	36.65
G1571	Replacement Hose 25-ft.	11.00	11.50

FloTool Flexible Pour Spout

Flexible spout conveniently attaches to the AMSOIL Easy-Pack, quart, and gallon packages and is designed to improve accessibility to hard-to-reach fill ports.

STOCK#	P.C. PRICE	FULL PRICE
G3721	5.65	5.90

Tough-to-reach fill hole?

Order a flexible pour spout with your oil to make the job easier. Fits quarts and gallons.

STOCK#	P.C. PRICE	FULL PRICE
G1230	1.05	1.25

AME



DP020



DP530




AMO




ARO



G3721





I have a 1971 Chevrolet C10 350 and a 1967 Chevrolet El Camino 283 – both are flat-tappet cam engines. Z-ROD, with the added zinc, gives them the protection they need so I don't have to worry about wiping a cam.

– Randy
Rockville, Md.

Classic

There's a reason they're called classics. These legendary cars had horsepower to spare, and styling to accompany it. It's only right to pair them with lubricants designed to help you put all that power on the pavement.

AMSOIL delivers synthetic lubricants specially designed to provide maximum horsepower and advanced protection in classic cars. With unique, high-end formulations and proprietary rust and corrosion protection, AMSOIL provides the precision performance your classic car deserves.

- **High-zinc** formula
- **Performs** on the street & protects during storage
- **Withstands** extreme heat







Z-ROD® Synthetic Motor Oil

High-zinc, high-phosphorus formulation engineered specifically for classic cars and performance vehicles.

● 10W-30

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ZRTQTC	-EA	(1) 946-ml Bottle	12.69	15.69
ZRTQTC	-CA	(12) 946-ml Bottles	144.90	186.60

● 10W-40

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ZRDQT	-EA	(1) 946-ml Bottle	12.69	15.69
ZRDQT	-CA	(12) 946-ml Bottles	144.90	186.60

● 20W-50

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ZRFQTC	-EA	(1) 946-ml Bottle	13.19	16.19
ZRFQTC	-CA	(12) 946-ml Bottles	149.95	193.20

Assembly Lube

Formulated to cling to engine parts and provide exceptional wear protection in newly built or rebuilt high-performance, racing and other four-stroke engines.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
EALTB	-EA	(1) 118-ml Tube	9.79	12.29
EALTB	-CA	(12) 118-ml Tubes	111.55	147.00

● Break-In Oil

Allows for quick and efficient piston ring seating in new and rebuilt high-performance and racing engines.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
BRKQTC	-EA	(1) 946-ml Bottle	9.79	12.09
BRKQTC	-CA	(12) 946-ml Bottles	111.55	144.00



Performance and Protection

AMSOIL transmission fluids are designed to keep your vehicle's drivetrain **performing the way it should** with smooth shifting, no slipping or shudder and dependable torque transfer.



Signature Series Synthetic ATF

Provides reserve protection in fleet vehicles, heavy-duty pickups, work trucks and other severe-service applications that quickly break down other lubricants.

● Multi-Vehicle

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ATFQTC	-EA	(1) 946-ml Bottle	15.69	19.29
ATFQTC	-CA	(12) 946-ml Bottles	178.95	230.40
ATFPK	-EA	(1) 946-ml Easy-Pack	17.69	21.79
ATFPK	-CA	(12) 946-ml Easy-Packs	201.60	259.80
ATFTPC	-EA	(1) 9.45-litre Bottle	151.50	183.80
ATFTPC	-CA	(2) 9.45-litre Bottles	288.55	365.60

● Fuel-Efficient

Provides the same benefits as AMSOIL Multi-Vehicle Synthetic Automatic Transmission Fluid in a fuel-efficient formulation engineered to exceed the requirements of GM*, Ford*, Toyota* and other original equipment manufacturers (OEMs) where low-viscosity oil is required.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ATLQTC	-EA	(1) 946-ml Bottle	16.09	19.89
ATLQTC	-CA	(12) 946-ml Bottles	184.00	237.00
ATLPK	-EA	(1) 946-ml Easy-Pack	18.39	22.59
ATLPK	-CA	(12) 946-ml Easy-Packs	209.20	269.40
ATLTPC	-EA	(1) 9.45-litre Bottle	155.20	188.25
ATLTPC	-CA	(2) 9.45-litre Bottles	295.60	374.50

OE Synthetic ATF

Resists wear and provides smooth shifts in passenger car/ light truck automatic transmissions.

● Multi-Vehicle

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
OTFQTC	-EA	(1) 946-ml Bottle	10.19	12.59
OTFQTC	-CA	(12) 946-ml Bottles	115.95	149.40
OTFTP	-EA	(1) 9.45-litre Bottle	97.40	118.50
OTFTP	-CA	(2) 9.45-litre Bottles	185.45	235.00

● Fuel-Efficient

Provides the same benefits as AMSOIL OE Multi-Vehicle Synthetic Automatic Transmission Fluid in a fuel-efficient formulation engineered to exceed the requirements of GM, Ford, Toyota and other original equipment manufacturers (OEMs) where low-viscosity oil is required.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
OTLQTC	-EA	(1) 946-ml Bottle	10.29	12.69
OTLQTC	-CA	(12) 946-ml Bottles	117.20	151.20
OTLTP	-EA	(1) 9.45-litre Bottle	98.85	120.20
OTLTP	-CA	(2) 9.45-litre Bottles	188.20	238.40

○ Synthetic CVT Fluid

Provides outstanding protection and performance for continuously variable transmissions (CVT) throughout original equipment manufacturer (OEM)-recommended drain intervals.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
CVTQTC	-EA	(1) 946-ml Bottle	14.89	19.09
CVTQTC	-CA	(12) 946-ml Bottles	170.10	227.40



DCT



● 100% Synthetic DCT Fluid

Designed to protect high-tech dual-clutch transmissions during the most intense, high-heat operating conditions.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
DCTOT	-EA	(1) 946-ml Bottle	23.39	30.89
DCTQT	-CA	(12) 946-ml Bottles	267.15	369.00

MTG



○ Synthetic Manual Transmission and Transaxle Gear Lube

Provides improved internal component protection.

Formulated with extreme-pressure additives and advanced frictional qualities that provide smooth shifts while protecting gears, bearings and seals. Non-corrosive to yellow metals.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
MTGQTC	-EA	(1) 946-ml Bottle	19.09	23.49
MTGQTC	-CA	(12) 946-ml Bottles	218.00	280.80
MTGPK	-EA	(1) 946-ml Easy-Pack	21.19	26.09
MTGPK	-CA	(12) 946-ml Easy-Packs	241.95	311.40
MTG05	-EA	(1) 18.9-litre Pail	354.70	449.35
MTG55	-EA	208-litre Drum	3,687.05	4,319.10

MTF



● Synthetic Synchronesh Transmission Fluid

Specifically designed to deliver smooth shifts and superior wear protection in manual transmissions and transaxles with synchronizers.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
MTFQTC	-EA	(1) 946-ml Bottle	16.99	20.89
MTFQTC	-CA	(12) 946-ml Bottles	194.05	249.60
MTF05	-EA	(1) 18.9-litre Pail	313.60	397.30
MTF55	-EA	208-litre Drum	3,176.20	3,720.75

SVG



SEVERE GEAR® Synthetic Gear Lube

Specifically engineered for high-demand applications, including trailer towing, heavy hauling, 4x4 off-road driving, commercial use and racing. Flexible easy-pack helps you access tough-to-reach fill holes and eliminates the need for a pump.

● 75W-90

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
SVGQTC	-EA	(1) 946-ml Bottle	18.69	22.99
SVGQTC	-CA	(12) 946-ml Bottles	213.60	274.80
SVGPK	-EA	(1) 946-ml Easy-Pack	18.69	22.99
SVGPK	-CA	(12) 946-ml Easy-Packs	213.60	274.80
SVG05	-EA	(1) 18.9-litre Pail	348.55	441.55

● 80W-90

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AGLQTC	-EA	(1) 946-ml Bottle	13.79	16.99
AGLQTC	-CA	(12) 946-ml Bottles	157.50	202.80
AGLPK	-EA	(1) 946-ml Easy-Pack	15.89	19.49
AGLPK	-CA	(12) 946-ml Easy-Packs	180.85	232.80
AGL05	-EA	(1) 18.9-litre Pail	252.20	319.50

● 75W-110

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
SVTQTC	-EA	(1) 946-ml Bottle	18.99	23.29
SVTQTC	-CA	(12) 946-ml Bottles	216.10	278.40
SVTPK	-EA	(1) 946-ml Easy-Pack	21.19	25.99
SVTPK	-CA	(12) 946-ml Easy-Packs	241.30	310.80
SVT05	-EA	(1) 18.9-litre Pail	351.35	445.10

● 75W-140

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
SVOQTC	-EA	(1) 946-ml Bottle	21.49	26.39
SVOQTC	-CA	(12) 946-ml Bottles	245.10	315.60
SVOPK	-EA	(1) 946-ml Easy-Pack	21.49	26.39
SVOPK	-CA	(12) 946-ml Easy-Packs	245.10	315.60
SVO05	-EA	(1) 18.9-litre Pail	392.25	496.85

● Slip Lock® Differential Additive

Designed to eliminate gear-housing chatter in cars, trucks and SUVs equipped with limited-slip differentials.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ADATBC	-EA	(1) 118-ml Tube	10.49	13.19
ADATBC	-CA	(12) 118-ml Tubes	119.70	157.80

SVT



AGL



SVO




ADA



Oil Filters

AMSOIL Oil Filters rank among the highest efficiency filters available to the auto/light-truck and powersports markets, providing a filtering efficiency of 99 percent at 20 microns. Featuring advanced full-synthetic technology, AMSOIL Oil Filters provide greater efficiency, capacity and durability than cellulose filters, extending engine and filter life and reducing engine wear. Easy-grip coating eases the job of tightening and loosening filters. Note: Change oil filter at every oil change. Call 1-800-777-7094 (Monday-Friday, 7 a.m.- 7 p.m. Central Time) or look up your vehicle at AMSOIL.ca to determine the appropriate filter for each application.



Oil Filters

STOCK#	UNITS	P.C. PRICE	FULL PRICE	STOCK#	UNITS	P.C. PRICE	FULL PRICE
EA15K01	-EA	23.35	29.35	EA15K32	-EA	20.60	25.95
EA15K02	-EA	23.70	29.75	EA034	-EA	21.50	26.95
EA15K03	-EA	21.80	27.45	EA15K35	-EA	20.55	25.85
EA15K04	-EA	22.65	28.45	EA15K37	-EA	17.80	22.40
EA15K05	-EA	21.95	27.60	EA15K38	-EA	18.15	22.75
EA15K06	-EA	19.20	24.10	EA15K39	-EA	27.55	34.65
EA15K07	-EA	16.40	20.65	EA042	-EA	20.90	26.20
EA15K08	-EA	24.05	30.25	EA15K43	-EA	23.35	29.35
EA15K09	-EA	21.75	27.55	EA15K49	-EA	31.35	39.45
EA011	-EA	20.25	25.35	EA15K50	-EA	19.15	24.10
EA15K12	-EA	19.65	24.75	EA15K51	-EA	19.65	24.75
EA15K13	-EA	20.65	26.00	EA052	-EA	21.75	27.25
EA015	-EA	21.65	27.10	EA15K53	-EA	20.25	25.45
EA15K16	-EA	20.55	25.85	EA15K54	-EA	26.50	33.30
EA017	-EA	19.85	25.00	EA055	-EA	34.85	43.65
EA15K19	-EA	20.60	25.90	EA059	-EA	21.15	26.50
EA15K20	-EA	21.60	27.15	EA064	-EA	20.10	25.20
EA023	-EA	20.25	25.35	EA080	-EA	23.20	29.00
EA024	-EA	21.85	27.35	EA15K88	-EA	42.50	53.20
EA026	-EA	23.70	29.70	EA098	-EA	37.60	47.30
EA15K28	-EA	21.60	27.15	EA099	-EA	39.05	48.90
EA15K29	-EA	20.90	26.35				

EAHD



EAHP



Heavy-Duty Extended-Life Oil Filters

Provide excellent 99 percent filtering efficiency and high contaminant capacity for heavy-duty on- and off-road diesel and gasoline applications. Provide extended service intervals that coincide with the maximum drain intervals of AMSOIL synthetic motor oils. Note: Change oil filter at every oil change.


Bypass Filters

High-efficiency bypass filters effectively remove minute dirt particles and soot. Provides an efficiency rating of 99 percent down to two microns.



AMSOIL Restores Horsepower

AMSOIL P.i.[®] restores up to 14% horsepower.^{NN}



^{NN}Based on third-party testing in a 2016 Chevrolet[®] Silverado[®] 1500, 5.3L V-8 GDI with 100,616 miles, using one tank treated with AMSOIL P.i. Actual results may vary.





Gasoline Stabilizer

Helps prevent the formation of varnish and sludge in stored seasonal equipment such as snowmobiles, lawnmowers, motorcycles and boats. 60 mL treats 19 litres of fuel.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ASTCNC	-EA	(1) 473-ml Bottle	13.59	16.99
ASTCNC	-CA	(6) 473-ml Bottles	77.20	101.70

P.i.®

Maximizes fuel economy and reduces emissions in gasoline direct-injected and port-fuel-injected engines. Add entire bottle to tank at fill-up.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
CPICN	-EA	(1) 354-ml Bottle	14.19	17.79
CPICN	-CA	(12) 354-ml Bottles	161.95	213.00

Upper Cylinder Lubricant Gasoline Additive¹³

Lubricates fuel system and upper cylinders. Fights ethanol-related corrosion. Helps keep injectors clean. Bottle compatible with capless fuel systems. Use entire bottle at every fill-up.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
UCLCNC	-EA	(1) 177-ml Bottle	5.29	6.79
UCLCNC	-CA	(12) 177-ml Bottles	60.50	80.40

Synthetic Multi-Purpose Grease

Delivers premium wear protection for bearings, bushings, chassis lubrication and other applications.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
GLCCR	-EA	(1) 397-g. Cartridge	9.79	12.99
GLCCR	-CA	(10) 397-g. Cartridges	93.45	123.00
GLC3P	-EA	(3) 85-g. Cartridges	11.69	15.49
GLC3P	-CA	(30) 85-g. Cartridges	111.30	146.50
GLCGN	-EA	Grease Gun Kit	40.45	53.55

Independent testing reveals AMSOIL Diesel All-In-One (ADB) provides as much as 18°C better protection against cold-temperature gelling than Howes Lubricator Diesel Treat. Plus, AMSOIL Diesel All-In-One boosts cetane by up to 4 points.¹



- **Cleans** dirty injectors to help restore horsepower and improve fuel economy



- **Lubricates** fuel pump and injectors to reduce wear



- **Fights** gelling in cold weather, enhancing fuel flow and helping prevent fuel-filter plugging



- **Increases** cetane up to 4 points for maximum horsepower, increased fuel economy and easier starts




¹Based on independent testing in July 2017 of AMSOIL Diesel All-In-One and Howes Lubricator Diesel Treat using diesel fuel representative of the U.S. marketplace and Howes' recommended treat ratio for above 0°F.



Cold Filter-Plugging Point (CFPP)


(The lower the number, the better.)



*Based on independent testing in July 2017 of AMSOIL Diesel All-In-One and Howes Lubricator Diesel Treat using diesel fuel representative of the U.S. marketplace and Howes' recommended treat ratio for above -17.8°C.


Cetane

(The higher the number, the better.)



Lubricity Improvement

(The lower the number, the better.)



The ASTM D975 diesel fuel standard specifies a wear scar below 520 µm in ASTM D6079 testing, while the Engine Manufacturers Association (EMA) specifies a wear scar below 460 µm. Testing reveals AMSOIL Diesel All-In-One provides significant lubricity improvement in diesel fuels found across the U.S., delivering exceptional wear protection.



TOP ALL-SEASON PERFORMANCE

- **Cleans** dirty injectors
- **Lubricates** pumps and injectors to reduce wear
- **Improves** fuel economy up to 8 percent
- **Lowers** cold filter-plugging point (CFPP) by up to 22°C
- **Increases** cetane up to 4 points

DRC



Diesel Recovery

Emergency diesel fuel treatment that dissolves the wax crystals that form when diesel fuel has surpassed its cloud point. 30 ml treats 3.79 L of fuel.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
DRCQTC	-EA	(1) 887-ml Bottle	15.29	18.79
DRCQTC	-CA	(12) 887-ml Bottles	173.90	223.80

CCB



Diesel Cetane Boost

Raises the cetane number of diesel fuel up to eight points for maximum horsepower, increased fuel economy and easier starts in all diesel engines. 30 ml treats up to 37.85 L of fuel.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
CCBCN	-EA	(1) 473-ml Bottle	10.39	13.09
CCBCN	-CA	(12) 473-ml Bottles	118.45	156.00
ACB05	-EA	(1) 18.9-litre Pail	292.55	370.60

ADF



Diesel Injector Clean

Targets traditional nozzle deposits, combustion chamber deposits and internal diesel injector deposits found in HPCR injectors. Lubricates to reduce fuel pump and injector wear. Concentrated for rapid results, maximum horsepower and up to 8 percent increased fuel economy in engines with accumulated deposits. 30 ml treats up to 18.93 L of fuel.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ADFCNC	-EA	(1) 473-ml Bottle	9.39	11.79
ADFCNC	-CA	(12) 473-ml Bottles	107.10	141.00
ADF05	-EA	(1) 18.9-litre Pail	260.75	330.30

ADS



Diesel Injector + Cetane Boost Clean

Combines the superior detergency and improved lubricity of Diesel Injector Clean and the increased horsepower and cetane of Cetane Boost in one convenient package. 30 ml treats up to 18.93 L of fuel.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ADSCNC	-EA	(1) 473-ml Bottle	14.29	17.89
ADSCNC	-CA	(12) 473-ml Bottles	162.55	214.20
ADS05	-EA	(1) 18.9-litre Pail	410.00	519.35

ADB



Diesel All-In-One

Combines the superior detergency and improved lubricity of Diesel Injector Clean, the excellent cold-flow and anti-gelling properties of Diesel Cold Flow and the increased horsepower and cetane of Cetane Boost in one convenient package. 30 ml treats up to 9.46 L of fuel.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ADBCNC	-EA	(1) 473-ml Bottle	11.99	14.99
ADBCNC	-CA	(12) 473-ml Bottles	136.10	179.40
ADB05	-EA	(1) 18.9-litre Pail	357.35	452.65

**Based on independent testing in July 2017 of AMSOIL Diesel All-In-One and Howes Lubricator Diesel Treat using diesel fuel representative of the U.S. marketplace and Howes' recommended treat ratio for above 0°F.*



HIGH-PERFORMANCE METAL PROTECTION

- **Cuts** through rust and frees frozen components
- **Helps** protect against rust and corrosion, even in salt water
- **Displaces** water
- **Stops** squeaks
- **Lubricates** moving parts





MP Metal Protector

Displaces water, penetrates, lubricates and protects metal surfaces from corrosion, including hinges, squeaky mechanical objects, electrical systems and more.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
CMPSC	-EA	(1) 208-g. Spray Can	7.79	9.59
CMPSC	-CA	(12) 208-g. Spray Cans	88.20	114.00

Engine and Transmission Flush

Helps restore operating efficiency, increase fuel economy and reduce emissions in gasoline and diesel engines and automatic transmissions.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
FLSHCNC	-EA	(1) 473-ml Bottle	12.49	15.69
FLSHCNC	-CA	(12) 473-ml Bottles	142.40	187.20
FLSH05	-EA	(1) 18.9-litre Pail	375.85	476.10

Propylene Glycol Antifreeze & Coolant

Combines the benefits of biodegradability, low toxicity and all-climate protection for up to 240,000 kilometers or 5 years, whichever comes first, in passenger cars and light trucks. Concentrated formula.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ANT1G	-EA	(1) 3.78-litre Bottle	40.19	49.79
ANT1G	-CA	(4) 3.78-litre Bottles	152.90	197.40

DOMINATOR® Coolant Boost

Helps reduce engine temperatures, increase horsepower, promote faster engine warm-up times and reduce radiator and engine corrosion in racing and passenger vehicles.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
RDCBCN	-EA	(1) 473-ml Bottle	13.69	17.19
RDCBCN	-CA	(6) 473-ml Bottles	78.15	102.90

Multi-Vehicle Synthetic Power Steering Fluid

Provides excellent wear protection, long component life and quiet operation in most passenger car/light trucks.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
PSFCNC	-EA	(1) 473-ml Bottle	9.29	11.59
PSFCNC	-CA	(12) 473-ml Bottles	105.25	138.60

Fluid Extraction Pump

STOCK#	UNITS	P.C. PRICE	FULL PRICE
G2576	EA	21.00	22.10

Aids in the removal of old fluids when servicing vehicles.





ISO 9001/14001 REGISTERED

AMSOIL INC.
One AMSOIL Center
Superior, WI 54880

WE HONOR



(Discover in U.S. only)

Your Servicing **AMSOIL Dealer**

Use this referral number to save time and make ordering easier. Call 1-800-777-7094 or log in at AMSOIL.ca ▼

Referral # **323230**

AMSOIL also offers a full line of premium synthetic lubricants for powersports applications. See your servicing **AMSOIL Dealer** for more information.



Minimum 10%
Post-Consumer Fiber

AMSOIL INC., 925 Tower Ave., Superior, WI 54880 • 715-392-7101 • Printed in the USA
© 2021, AMSOIL INC. All rights reserved. The AMSOIL logo is a registered trademark of AMSOIL INC.

G3550 6/21